




05 Fishing & Accessories

Rod Holder

	1) 05-00805117PB Rod Holder Flush Mount 30deg - Black Plastic Size: ID Ø 40mm X 240mm(L) Material : Plastic ABS 2) 05-00805117PW Rod Holder Flush Mount 30deg - White Plastic Size: ID Ø 40mm X 240mm(L) Material : Plastic ABS
	1) 05-9018203 Rod Holder Stalon Flush Mount 30deg with SST Cover Colour : White Size: ID Ø 40mm X 240mm(L) Material : Nylon
	1) 05-H4954 Rod Holder Flush Mount, SST 316 c/w Cover Plastic Base Size: 22mm(7/8") Ø
	1) 05-H7745S Rod Holder Flush Mount 30deg With Cap, SST Material : SST AISI 316 Size: OD 50mm (2") , ID 42mm , Length : 254mm (10") 2) 05-H7745SR Rod Holder Flush Mount 30deg Without Cap, SST Material : SST AISI 316 Size: OD 50mm (2") , ID 42mm , Length : 254mm (10")
	1) 05-44489 Rod Holder Flush Mount 90deg – White , Plastic Size: ID 40mm Ø X 235mm H Brand : Nuova Rade 2) 05-44490 Rod Holder Flush Mount 90deg – Black , Plastic Size: ID 40mm Ø X 235mm H Brand : Nuova Rade

Rod Holder

	1) 05-00805205 Rod Holder Set (3 tubes) , Plastic c/w SST Screws Colour : White Size: 12" Height
	1) 05-00805206 Rod Holder Set (4 tubes), Plastic c/w SST Screws Colour : White Size: 12" Height
	1) 05-00805207 Rod Holder Set (6 tubes) Plastic c/w SST Screw Colour ; White Size: 12" Height
	1) 05-H7745-90 Rod Holder Flush Mount 90deg With Cap SST Material : SST AISI 316 Size: OD 50mm , ID 42mm , Length : 254mm (10")
	1) 05-TFYH50077 Rod Holder, Side Mount, SST Material : SST AISI 316 Size: OD 50mm , ID 42mm , Length : 250mm (9-3/4")

Rod Holder

	1) 05-H7762 Rod Holder Clamp /Rail Mount SST Material : SST AISI 316 Size: OD 50mm , ID 40mm Ø , Length 230mm (9") Fits Pipe/Tube : 22-25mm
	1) 05-F162630 Rod Holder Clamp /Rail Mount SST Material : SST AISI 316 Inside Diameter : 1-5/8" Clamp Fits Outside Diameter : 1-11/16" to 1-15/16" Use on vertical and horizontal pipe/tube Adjustable clamp with two inserts fits two pipe/tube sizes Rotates and lock every 18 degrees Brand : TACO
	1) 05-H7751 Rod Holder Adjustable Mount , SST Material : SST AISI 316 Size: OD : 51mm , ID 40mm x Length 292mm (11-1-1/2") Size Base : 62mm W x 92mm L
	1) 05-F1 Rod Holder Adjustable c/w Lock Mount – Black Material : Nylon Brand : Winner
	1) 05-56278 Rod Holder Adjustable c/w Lock Side Mount – Black Material : Nylon Size: 1-5/8" Ø X 9-7/16" L X 3-9/16" W,

Rod Holder



- 1) 05-5010-4 Rod Holder, Pro Series II c/w Combo Mount – Black
Designed for use with bait casting and spinning reels
Heavy duty deep-tooth gear lock securely holds rod holder in mounting base. Adjustable rod holders and interchangeable mounts
Size: 7.25" L X 9.87" W X 8.75" H
Brand : ATTWOOD



- 1) 05-5060-3 Rod Holder Wire Form 5° Angle, 4" SST Stem & Wing Nut
Brand : ATTWOOD
- 2) 05-5062-3 Rod Holder Wire Form 25° Angle, 4" SST Stem & Wing Nut
Brand : ATTWOOD



- 1) 05-5063-3 Rod Holder Wire Form 45° Angle, 4" SST Stem & Wing Nut
Brand : ATTWOOD

Rod Holder Mounts

	1) 05-72012 Rod Holder Side Mount – Black Material :
	1) 05-0007011 Rod Holder Side Mount – Black Material : Plastic / Nylon Package Size: 8.86' L X 3.94' W X 1.93' H,
	1) 05-5515 Rod Mount Kit – Black Material : Plastic / Nylon
1)  2) 	1) 05-58112-A Flush Mount Kit 90° With Groove – Size ID : 23 MM Clour : Black Material : Nylon 2) 05-58112-B Flush Mount Kit 90° - Size ID : 23.5 MM Clour : Black Material : Nylon
	1) 05-5011-7 Heavy Duty Combo Mount - Black Improved fit with positive lock for secure rod holder mounting Allows for mounting in rod holders in multiple configurations May be mounted on side or top gunwale Compatible with all Attwood and other leading rod holder mounting patterns Brand : ATTWOOD

Rod Holder Mounts

	1) 05-5074-3 Clamp On Rail Base, Fit Round Rail 7/8"Ø Material : Extruded aluminium Brand : Attwood
	1) 05-5070-7 Side Mount Base , Fits Gunwale Or Rail Material : Extruded aluminium Brand : Attwood
	1) 05-5071-7 Flush Base, Fits 2" Flat Surface Material : Extruded aluminium Brand : Attwood
	1) 05-5072-7 Flat Rail Base, Fits Square Rail Material : Extruded aluminium Brand : Attwood

Rod Holder Storage

	1) 05-12761-7 Rod Holder Storage, Vertical Mount Mounts vertically in application to hold 5-6 rods horizontally Molded rubber inserts secure rod butt and tip Holds in a crisscross manner, allowing storage of more rods in a smaller space Size: 12"L x 6"W x 2"H, Colour : Black Strap & Grey Molded Rubber Brand : ATTWOOD
	1) 05-31527 Storage Rack (Pair) For 2 Fishing Rods – White Material : Nylon Size: 8.74" (222mm) L X 0.91" (23mm) W X 2.5" (63mm) H Brand : Nuova Rade
	1) 05-31529 Storage Rack (Pair) For 3 Fishing Rods – White Material : Nylon Size: 11.7 (298mm) L X 0.91" (23mm) W X 2.5" (63mm) H Brand : Nuova Rade
	1) 05-72051 Rubber Storage Clip (pair) – Black Material : Molded Black Rubber Fastener Type : Hook Size: 2" L X 1 5/8" H Accommodate Diameter : 3/4" to 1" Perfect solution for storing pole lights, boat hooks , etc
	1) 05-44623 Holding Rings for Fishing Rod Holder, Set – Black Material : Plastic Size: Ring Ø 1.77" Brand : Nuova Rade

Rod Holder Storage

 (1)  (2)	1) 05-RTG 1B Rod Tip Grommet – Black Material : Nylon / Plastic Size: OD : 50mm (2") Ø , ID : 34mm (1.3") 2) 05-RTG 1W Rod Tip Grommet -White Material : Size: OD : 50mm (2") Ø , ID : 34mm (1.3")
	1) 05-TE-1 Rod Tube End -Black Tapered Inside to Protect Rod Tips Mount your rod storage tubes in any compartment or bulkhead Opening is 1-7/8" , Requires 2" Hole Brand : TH Marine
	1) 05-TE-1FW Rod Tube End - Fish White Tapered Inside to Protect Rod Tips Mount your rod storage tubes in any compartment or bulkhead Opening is 1-7/8" , Requires 2" Hole Brand : TH Marine
	1) 05-TE-1W Rod Tube End - Oyster Tapered Inside to Protect Rod Tips Mount your rod storage tubes in any compartment or bulkhead Opening is 1-7/8" , Requires 2" Hole Brand : TH Marine

RAILBLAZA Base Mount



- 1) 05-RB-03-4001-11 StarPort Twin Pack - Black c/w SST fasteners
- 2) 05-RB-03-4001-21 StarPort Twin Pack - White c/w SST fasteners

StarPort can be used as a deck or a flush mount
Comes with gasket & cap
Features slide locking mechanism
Accepts any RAILBLAZA accessory
Material : UV-Stabilised Fibreglass Reinforced Plastic
Size : Length : 64.5mm (2.54") x Height : 28.3mm (1.1")



- 1) 05-RB-03-4046-11 StarPort HD – Black c/w SST fasteners

Rectangular low profile four screw base mount
Features slide locking mechanism
Interchangeable with Scotty, RAM, Cannon or Fish On mounting bases
Accepts any RAILBLAZA accessory
Material : UV-Stabilised Fibreglass Reinforced Plastics
Size: L 99.5mm (3.92") x W 52mm (2.05") x H 26.3mm (1.04")



- 1) 05-RB-03-4014-11 SidePort – Black c/w SST fasteners
- 2) 05-RB-03-4014-21 SidePort , White c/w SST fasteners

SidePort designed to mount and use vertically
Features slide locking mechanism
Accepts any RAILBLAZA accessory
Material : UV-Stabilised Fibreglass Reinforced Plastics
Size: L 47.9mm (1.88") x W 61.7mm (2.43") x H 43.6mm (1.72")



- 1) 05-RB-03-4011-11 RailMount 19-25mm StarPort Combo - Black
- 2) 05-RB-03-4011-21 RailMount 19-25mm StarPort Combo - White
c/w adapters, rubber grips, self-adhesive, grip tape
and stainless steel mounting screws.

RailMount 19-25 acts as accessory base on 19 or 25mm
Accepts any RAILBLAZA StarPort accessory
Features slide locking mechanism
Material : UV-Stabilised Fibreglass Reinforced Plastics



- 1) 05-RB-03-4013-11 RailMount 32-41mm StarPort Combo - Black
- 2) 05-RB-03-4013-21 RailMount 32-41mm StarPort Combo - White
c/w adapters, rubber grips, self-adhesive, grip tape
and stainless steel mounting screws.

RailMount 32-41 acts as accessory base on round and square 32mm rails and round 41mm rails
Accepts any RAILBLAZA StarPort accessory
Features slide locking mechanism
Material : UV-Stabilised Fibreglass Reinforced Plastics


Tracport/Starport

 (1)  (2)  (1)  (2)	1) 05-RB-03-4087-11 QuikPort - Black with 3M VHB self-adhesive pad 2) 05-RB-03-4087-21 QuikPort - White with 3M VHB self-adhesive pad Size : OD 90mm (3.5") Ø X Height 31mm (1.2") 1) 05-RB-03-4064-21 RibPort - White with 3M VHB self-adhesive pad 2) 05-RB-03-4064-51 RibPort - Grey with 3M VHB self-adhesive pad Size : L154,5mm (6.08") x W 117mm (4.6") x H 34.4mm (1.35") Material : UV-Stabilised Fibreglass Reinforced Plastics
	1) 05-RB-03-4066-51 CleatPort RibMount – Grey c/w 3M VHB pad Material : UV-Stabilised Fibreglass Reinforced Plastics Size: 6.30" (106mm) L X 4.6" (117mm) W X 1.92" (48.8mm) H
	1) 05-RB-03-4044-11 CleatPort,- Black Size: 6.3"(60mm) L X 2.45" (62.2mm) W X 1.12" (1.17mm) H
	1) 05-RB-07-4011-51 RB Replacement Starport Slide (pair) Size: 2 1/8" L X 1/2" W, Colour : Grey

Rod Holder

	1) 05-RB-01-4122-11 Kayak Expanda Track -Black c/w: (4) Track lengths ,(2) End pieces & Screws 3 mounting options :- Assemble to make a 100mm(4") or 200mm(8") track or by clipping the 2 ends together. Size: Width : 40mm (1.6") x Height 10mm (3/8")
	1) 05-RB-01-4125-11 Slimine Track with SST screws – Black Receives the MiniPort, TracMount, StarPort or StarPort HD with the relevant TracMount Kit – optional Material : UV-Stabilised Fibreglass Reinforced Plastics Size: 300mm (12") L x 22.5mm (0.9") W x 13mm (0.5") H
	1) 05-RB-03-4108-11 MiniPort Tracmount –Black Material : UV-Stabilised Fibreglass Reinforced Plastics Size: 41mm (1.6") Ø X 42.5mm (1.7") H
	1) 05-RB-03-4104-11 StarPort Tracmount Kit c/w 2 x 1/4"x 1" Truss head Philips machine screws 2 x Stainless steel trac nuts Allows you to attach StarPort to kayaks tracks. (StartPort not included)
	1) 05-RB-03-4109-11 Starport HD Tracmount Kit, c/w 2 x 1/4 X 1" Hex Head Machine Screws, 2 x Track Insert 2 x Track Nuts 2 x Spacer Washers Allows you to attach StarPort HD to Kayaks tracks (StartPort HD not included)

Tracport/Starport

	1) 05-RB-03-4102-11 TracPort Dash 500 (19.5") c/w 4 StarPort Installed & 2 Attachment Adaptors Meant for the serious angler who needs to fit a wide variety of accessories into very little space. TracPort Material: Anodised Aluminium Size: 19 1/2" L
	1) 05-RB-03-4103-11 Tracport Dash 350 (13.75") c/w 3 Starport Installed & 2 Attachment Adaptors TracPort Material : Anodised Aluminium Size: 13 3/4" L
	1) 05-RB-03-4080-11 E Series USB StarPort 12VDC, 2.1amps -Black Charges your tablets, mobile phones and many more devices Connect directly to a 12V DC supply for safe and easy use The E Series USB StarPort is splash proof however we do not recommend mounting in weather exposed areas.
	1) 05-RB-03-4081-11 E Series DC Port StarPort 12VDC, 3amps Plug & Socket & SST Screws -Black Allowing the connection of LED spotlight, cabin fans, depth sounder and many other devices.
	(1) 05-RB-02-4033-11 Mobi Mobile Device Holder , Adjustable (2) 05-RB-02-4034-11 Mobi Mobile Device Holder , Fixed (vertical surface)

Extender



- 1) 05-RB-04-4137-11 RB Extender , Rod Holder , 5" Height – Black
Rod Holder Extender will fit any of 3 RAILBLAZA Rod Holder
Allowing 125mm (5") inches of extension. It gives full adjustability
allowing the rod holder to be extended outwards or conveniently position
your rod holder closer to you on your kayak boat, inflatable, belly boat,
SUP Corrosion resistant constructive.
Material : UV- Stabilised Fibreglass Reinforced Plastic



- 1) 05-RB-04-4020-11 Rod Holder II c/w StarPort Kit - Black
Robust , Versatile, it will hold your rod
Rotating collar helps reduce "strike theft"
Rear gimbal lock reduces rod rotation for compatible rods, lift to slide
rods through. Fully adjustable 360° around, over 90° vertical. Easy
access to reel when in position.
Material : UV- Stabilised Fibreglass Reinforced Plastic



- 1) 05-RB-04-4082-11 Rod Holder R c/w StarPort HD Kit - Black
Designed for holding fishing rods with spinning, baitcaster or fly reels.
To secure rod the stretchable strap at the front of the holder will wrap
around the top for baitcaster and fly reels and round the bottom for
spinning reels . Light duty rod holder suitable for fresh water.
Material : UV- Stabilised Fibreglass Reinforced Plastic



- 1) 05-RB-04-4118-11 Rod Tube c/w Starport HD Kit -Black
Prefect for kayaks where anglers want to keep their reels elevated
and cleat of waves and splash
With the innovative RAILBLAZA drop-down gimbal, you can either
keep your reel high and dry or slot the reel into the end of the tube
Material : UV- Stabilised Fibreglass Reinforced Plastic

Rod Holder

	1) 05-RB-02-4060-11 Kayak/Canoe Sounder & Transducer Mount - Black c/w SwivelPort , Adjustable Knuckle Joint, Fixed StartPort Extender, Check Mount Adaptor, Rotating Platform , Cable Ties (4) & Mounting Screw Developed for kayak anglers needing an easy way to install and remove fish finder or sounders. With selection of mount this kit can be adapted for fit any kayak or canoe Material : UV Stabilized Fibreglass Reinforced Nylon Size: 9.2" Height
	1) 05-RB-04-4091-11 Universal Kayak Motor Mount c/w 2 x StarPort HD's and fasteners Fully adjustable mount position . Super easy to clip on and off This bracket will fit most of the kayak , and is suitable for, but not limited to the following motors , Minn Kota, all transom mount models, Motor Guide al transom mount models Length : 980,mm (38.5") Motor Pad : 160mm (6.3"ins) H x 180mm (7"ins) W

Rod Holder

	1) 05-RB-02-4003-11 Eye 25 - Black (pair) Ideal For Tethering, Storage, Lashings & Clotheslines, Material : UV Stabilized Fiberglass Reinforced Plastic Size: OD 26.4mm (1") Ø , Height 72.3mm (2.8") Eye Diameter : 22.3mm (0.9") Ø
	1) 05-RB-02-4004-11 Hook 25 - Black (pair) Safely & Securely hang whatever you need Never lose your gear or fishing line again Easy to use and install, take up minimal space Versatile and multifunctional Material : UV Stabilized Fiberglass Reinforced Plastic Size: OD 26.4mm (1") Ø , Height 72.3mm (2.8")
	1) 05-RB-02-4043-11 Attachment Adaptor - Black (pair) Instantly make any item StarPort compatible Easily attach RAILBLAZA accessories 360 degree swiveling with ease Stainless steel hardware for extreme durability Material : UV Stabilized Fiberglass Reinforced Nylon Plastic Size: OD 31.2mm (1.23") X 35.7mm (1.4") H
 (1) (2)	1) 05-RB-02-4032-11 Clevis/Bimini Support Black (Pair) c/w SST Screw 2) 05-RB-02-4032-21 Clevis/Bimini Support White (Pair) c/w SST Screw Super easy to attach and remove your bimini cover with no fuss No more struggling to take it on and off or dealing with corroded fittings Material : UV Stabilized Fiberglass Reinforced Nylon Plastic Size: 31mm (1.2") Ø X 57mm (2.2") H

Cup/Bottle Holder

	1) 05-RB-02-4013-11 Cup Clam Only – Black Can be mounted in either horizontally or vertically mounted StarPort, to hold mugs, stubbies, wine glasses, wine bottles. The extendable fingers hold the taller items in place and yet everything collapses into a convenient flatpack for storage. Material UV Stabilized Fiberglass Reinforced Nylon Plastic & UV Stabilized PC Plastic
(1)  (2) 	1) 05-RB-02-4048-11 Drink Hold - Black 2) 05-RB-02-4048-21 Drink Hold - White Material : UV Stabilized Fiberglass Reinforced Nylon Plastic Size: 123.4mm (4.86") L x 100mm (3.94")W x 87.5mm (3.4") H 97.1mm(3.82") L x100mm(3.94") W x 115.5mm (4.55") H
(1)  (2) 	1) 05-RB-04-4048-11 Drink Hold & Starport Kit – Black Material : UV Stabilized Fiberglass Reinforced Nylon Plastic Size: 123.4mm (4.86")L x 100mm (3.94")W x 87.5mm (3.4") H (Side Mounted) 2) 05-RB-04-4048-21 Drink Hold & Starport Kit – White Material : UV Stabilized Fiberglass Reinforced Nylon Plastic Size: 97.1mm(3.82") L x100mm(3.94") W x 115.5mm (4.55") H (Base Mounted)
(1)  (2) 	1) 05-RB-04-4040-11 Stowpod & Starport Kit – Black 2) 05-RB-04-4040-21 Stowpod & Starport Kit – White Material : UV Stabilized Fiberglass Reinforced Nylon Plastic Size: 225mm (10") W X 88mm (3.5") H X 0.5mm (4.5") D - excl StartPort

Platform

	1) 05-RB-02-4002-11 RB Adjustable Platform - Black Allows the attachment of any platform-type product to a Starport (eg: fillet tables, barbecues, tables, solar panel, etc) Adjustable angles forward and back 90°. Supplied in singles. Material : UV Stabilized Fiberglass Reinforced Nylon Plastic Platform Size : 100 x 64mm (4 x 2.5"ins)
	1) 05-RB-02-4021-11 Rotating Platform – Black A platform mounting sounders or chart plotter where a fixed place surface is required but rotation is needed Material : UV Stabilized Fiberglass Reinforced Nylon Plastic Platform Size 102mm x 102mm (4x 4" ins)
	1) 05-RB-02-4025-11 Three Axis Platform - Black The three axis platform is the answer if you need real flexibility in a mount. Designed with sounders and GPS devices in mind you can now mount on angled surfaces & have your display level. Material : UV Stabilized Fiberglass Reinforced Nylon Plastic Platform size : 102mm x 102mm (4"x 4"ins)
	1) 05-RB-02-4037-11 Platform Boom 150 Pro Series - Black Allows the mounting of heavier items, - up to 2.5kg (5.5lbs) including sounders and GPS display, but still give the flexibility of 5 moving joints. It can also be dismantled into 3 components for re-tasking Material : UV Stabilized Fiberglass Reinforced Nylon Plastic Size : OL : 340mm (13.8") , Platform Size : 100mm x 100mm
	1) 05-RB-02-4147-11 Swing Arm R-Lock – Black Swing Arm R-Lock is for applications where you need to move electronic screens out to a better viewing angle or for stowing screens out of the way. Holds display up to 1.5kg (3.3lbs). Also holds tablets, GoPro, Mobile Phones. Material : UV Stabilized Fiberglass Reinforced Nylon Plastic Size: 21.4mm (8.4") L X 34.7mm (1.4") W X 96.75mm (3.8") H

Platform



- 1) 05-RB-02-4053-11 Camera Mount Adaptor - Black
Capture amazing shots with ease- the RAILBLAZA camera mount adaptor is designed for simple and easy use. Mount your camera to any kayak, paddleboard, canoe or other surface with the ¼ 20 thread insert compatible with all GoPro cameras
Material : UV Stabilized Fiberglass Reinforced Nylon Plastic
Size: 31.8mm (1.25") Ø X 70.6mm (2.78") H



- 1) 05-RB-02-4130-11 Camera Mount R-Lock – Black
This compact camera mount allows you to adjust your camera to every angle, with R-Lock functionality . Fits all cameras with a ¼ 20 thread insert allowing them to become StarPort Compatible Kit includes GoPro tripod adapter. Mounts on rails, boats, kayaks and inflatables with the correct RAILBLAZA mount
Material : UV Stabilized Fiberglass Reinforced Nylon Plastic



- 1) 05-RB-03-4016-11 Extender, Fixed 5" Height - Black
Fixed Extender elevates accessory 5". Fits and lock any RAILBLAZA accessory in place. Meant for use on horizontal surfaces. Snap-lock security mechanism. Base not included
Material : UV Stabilized Fiberglass Reinforced Nylon Plastic
Size: 48.5mm (5.8") H




- 1) 05-RB-03-4017-11 Extender Adjustable – Black
The adjustable extender has tow pivots that allow free rotation (under resistance) along the central axis of both the upper and lower sections It also has a central knob to adjust for up to 180° tilt in 15° increments The factory tension of the adjustable extender is tight and not adjustable
Material : UV Stabilized Fiberglass Reinforced Nylon Plastic
Size: 125.5mm (4.9") – excl StartPort H x 41mm (1.6") W



- 1) 05-RB-03-4042-11 Swivel Port – Black
Designed to allow accessories to be easily rotated 360°
Factory set friction joint. Can be attached to any StarPort, SidePort or RIBPort & will receive any StarPort accessory
Material : UV Stabilized Fiberglass Reinforced Nylon Plastic
Size: 65.2mm (2.57") H x 41.2mm (1.62") W

Adaptor

	(1) 1) 05-RB-02-4026-11 G-Hold Single 35mm (1-3/8") Ø, - Black/Grey 2) 05-RB-02-4027-11 G-Hold Single 50mm (2") Ø Colour: Black/Grey Material : UV -Sstabilised AES Plastic With UV Stabilized TPE Overmould Strap UV -Stabilised Eurethane Rubber
	1) 05-RB-02-4056-11 Dive & Gas Bottle Holder c/w: (2) Brackets, (2) Straps, (2) Ladder Locks, (1) Side Release Buckle , (2) Star Adapters , (2) Screw Packs Material : UV-Stabilised Fibreglass Reinforce Plastic
	1) 05-RB-04-4062-11 Tracport Dive & Gas Bottle Holder c/w (2) StarPort and fastener kits, (2) male adapter, (2) Bracket moldings, (2) Strap kit (2x 120cm, 2x 60cm) 500mm (19.7") Tracport extrusion with end caps & 4 Track nuts Material : Bracket and Adaptors – UV proof fibreglass reinforced nylon
	1) 05-RB-04-4050-11 Wall Sling with Starport - Black (Pair) c/w (2) webbing straps, (2) buckles, (2) tri glides, (2) WebEye30, (2) StartPort and collars, (4) 12gauge x 65mm galvanised tapping screw Max : Hanging weight between both sling 60kg (120lbs) Strap : 2500mm x 38mm (8.2ft x 1.5"ins) - (2)

Anchor Light



- 1) 05-RB-02-5004-11 Illuminate i360 - All-Round White Navigation LED Light. Full brightness navigation mode 2NM- up to 25hours battery life Low brightness work mode- up to 160hrs batter life. Flashing emergency mode- over 200hrs battery life. Waterproof to 1 metre, Floats with lens clear of water. Powered by 3xAA batteries ,Fits any RAILBLAZA mounting port (not included). Meets USCG 2NM 33CFR 183.810 & ABYC A-16
Material : UV-Stabilised Fibreglass Reinforced Plastic
Size: 126mm (5") L x OD 60mm (2.36") Ø



- 1) 05-RB-02-5005-11 Illuminate iPS Bi Colour Navigation LED Light Bi-Colour Port Starboard mode 2nm 12-14hr battery life. Port light only mode 2nm, 20-24hr battery life. Starboard light only mode 2nm, 20-24hr battery life. Waterproof to 1metre , Floats with lens clear of water. Powered by 3xAA batteries ,Fits any RAILBLAZA mounting port (not included) Meets USCG 2NM 33CFR 183.810 & ABYC A-16
Material : UV-Stabilised Fibreglass Reinforced Plastic
Size: 126mm (5") L x OD 60mm (2.36") Ø



- 1) 05-RB-04-4119-11 Dinghy Visibility Kit c/w:
(1) Storage bag, (1) Extenda Pole 1000, (1) SidePort, (1) i360 All Round White Navigation LED light, (1) Fastener Pack, Lights is powered by 3AA batteries (not included), Light meets USCG 2nm standards, Pole disassembles for easy stowage. Easily detached using RAILBLAZA SidePort mount. Fits smaller Boats and Inflatables up to 7 metres and 13 km/hr.



- 1) 05-RB-02-4067-11 Extenda Pole 1000 – Black
Lightweight three height possibilities – 380mm (15") , 680mm (27") and 980mm (38.5"). Disassembles for easy storage. Velco strap to hold the three extensions together during storage. Corrosion Resistance MiniPort on top to hold any RAILBLAZA accessory
Material : UV-Stabilized Fiberglass Reinforced Plastic
Size : Pole Dia : 22mm (7/8") Ø



- 1) 05-RB-02-4009-11 Flag Pole , Length : 800mm (32")
Can be securely fastened to any common top-handle sailboat winch can be installed into a StarPort. Can easily be removed, transported and refixed at another location
Material : Pole – Anodised Aluminium Tube Top & Base – UV-Stabilised Fibreglass-Reinforced Nylon plastic

Release Clip

	1) 05-57965 Release Clip Pins Plastic Cream
	1) 05-57967 Spin Stop Rubber Black
	1) 05-57971 Brass Release Clip Location