




10 Fuel And Exhaust

Fuel/Exhaust – Louver Vent

	1) 10-00801011 Louver Ventilator , Material: Nylon Colour: Black Size: 86MM(L) X 86MM(W) X 15MM(H) 2) 10-00801012 Louver Ventilator , Material: Nylon Colour: White Size: 86MM(L) X 86MM(W) X 15MM(H)
	1) 10-008010221 Hose Vent With Shrinking Layer, Material : Plastic Colour : Black Size : W 86MM X L 86MM X H 80MM
	1) 10-8423024 Hose Vent Flush Nylon, Colour : White Size:W 80MM X L 80CM X H 76MM Hose OD :71/67mm 2) 10-8713604 Hose Vent Flush Nylon, Colour : White Size:W 80MM X L 80CM X H 76MM Hose OD : 76mm 3) 10-8713605 Hose Vent Flush Nylon, Colour : Black Size:W 80MM X L 80CM X H 76MM Hose OD : 76mm
	1) 10-0080108 Midget Ventilator SST Size: 90MM(L) X 86MM(W) X 28MM(H) X 0.8MM(T)
	1) 10-8713603 Hose Vent Adaptor Size: 60MM Colour: White Material: Plastic 2) 10-8713607 Hose Vent Adaptor Size: 60mm Colour: Black Material: Plastic

Fuel/Exhaust – Louver Vent

	1) 10-00801136MT Clamp Shell Vent SST Size: L40MM X W44MM X H16MM X T0.6MM 2) 10-00801137 Clamp Shell Vent SST Size : L55MM X W53MM X H22MM XT 0.6MM 3) 10-175310 Clam Shell Vent Compact SST Size : L145MM X W114MM X H50MM
	1) 10-00801138 Louvered Ventilators 3 slot SST Size: W65mm X L127mm X T0.8mm
	1) 10-00801139 Louvered Ventilator 6 slot SST Size : W115mm X L127mm X T0.8mm
	1) 10-00801140 Louver Ventilator 10 slot SST Size: W115mm X L230mm X T0.8mm
	1) 10-00801141 Louvered Ventilator 14 slot SST Size: W127mm X L228mm X T0.8mm

Fuel/Exhaust - Louvers

(1)  (2)  SOLD OUT!	1) 10-00801051 Louver Ventilator ABS Plastic, Black Size: L260MM X W125MM X H17MM 2) 10-8423020 Louver Ventilator ABS Plastic, Black Size: L200MM X W100MM X T5MM
	1) 10-0004006 Louvered Vent 4 Slot SST (AISI 304) Size: L254MM X W111MM X H38MM 2) 10-0004007 Louvered Vent 5 Slot SST (AISI 304) Size: L327MM X W111MM X H38MM
	1) 10-1341-1 Collector Box 3' (Ventilator Cover Plastic) Colour: Black - Cut-outs for two 3' I.D. hoses - Corrosion-resistant plastic - For use w/plastic louvered vent installation - Hole size: 2 1/16" x 15 9/16"
	1) 10-ASV080A Louvered Vent Air Suction, Polished Anodised Aluminium Frame with Grilles of Anodised Aluminium Length 660mm x Width 159mm x Height 47mm Cut Out 640mm x 139mm

Fuel/Exhaust - Ventilator

	1) 10-00801003 Solar Power Extractor (TMC 72005) Size: L215MM X H76MM Fan Capacity : Each will extract 11.3 cuft/ min of air under full sun Stainless Steel Cowl + Flat PC top Lower in height
	1) 10-N20030 Solar Mini Vent 1000, MARINCO •Solar powered exhaust ventilation during daylight and passive exhaust at night •No batteries or wiring required •Whisper-quiet fan operation •Durable white ABS construction •Shut-off damper to prevent water intrusion in rough seas •Dimensions: 7" diameter X 1-3/4" high
	1) 10-5027200020 Ventilator With SS Cover Material: Stanley Steel Size: 200MM OD X 50.8MM
	1) 10-8423012 Ventilator With Cover, Plastic Cowl Round, Colour : White Size : OD 215MM X H 80MM, CUT OUT 200MM
	Empty description box

Fuel/Exhaust – Side Vent



1) 10-470B Side Vent Brace Colour: Black



1) 10-476B Side Vent Brace Colour: Black



1) 10-472B Side Vent Adjustable Handle Colour: Black



1) 10-479B Side Vent Adjust Handle Colour: Black



1) 10-477B Side Vent Congosert 1" Colour: Black

Fuel/Exhaust – Side Vent

	1) 10-471B Side Vent Pin Colour: Black
	1) 10-478B Side Vent Insert Retainer Cap Colour: Black

10 – FUEL AND EXHAUST

Fuel/Exhaust – Vent Tank



- 1) 10-00801201S Vent Gas Tank Straight Size : 9/16" OD SST
- 2) 10-00801203S Vent Gas Tank Angle 90° Size : 9/16"OD SST



- 1) 10-H0912 Vent Fuel Tank, Straight
Size : OD 16.5mm X H 57mm
Material: SST (AISI 316)



- 1) 10-8906213 Vent Gas Tank Flush Mount Straight
Size: ½" OD Material: SST



- 1) 10-H28790 Vent Gas Tank Flush Mount Straight
Size Dia. 16mm x H 84mm , Material : SST (AISI 316)



- 1) 10-AB19SL Vent Fuel Tank / Breather Nipple Flush Mount
Straight Long ,VETUS
Size: OD 19mm Material: SST (AISI316)

Fuel/Exhaust – Vent Tank

	1) 10-8906220 Vent Gas Tank Flush Mount Angle 90° Size: ½" OD Material: SST
	1) 10-H28791 Vent Gas Tank Flush Mount 90° Angle Size: Dia. 16mm x H 64mm , Material: SST (AISI 316)
	1) 10-SF3031 Vent Fuel Tank Flat Straight (Direct Discharge) Size: OD 19MM , Material : Vents with anti-flame mesh, in chromed plated brass
	1) 10-SF3036 Vent Fuel Tank Flat Straight (Reverse Discharge) Size : OD 19MM Material : Vents with anti-flame mesh, in chromed plated brass
	1) 10-SF3033 Vent Fuel Tank Curved (Direct Discharge) Size: OD19MM Material : Vents with anti-flame mesh, in chromed plated brass

Fuel/Exhaust – Vent Tank



- 1) 10-SF3038 Vent Fuel Tank Curved (Reverse Discharge)
Size : OD 19MM
Material : Vents with anti-flame mesh, in chromed plated brass



- 1) 10-SF2347 Vent Fuel Tank Flat Plastic Size: OD 17-19MM
Colour: White



- 1) 10-SF2346 Vent Fuel Tank Oval 90° Angle Plastic
Size: OD 17-19MM Colour: White

10 – FUEL AND EXHAUST

Fuel/Exhaust – Blower

	1) 10-0370105-12V Blower Flangemount, Intake Pipe 3" 12V, 90CFM Motor : 12V Air : 90CFM (2.53CMM) Amp Draw : 3A (12V) Fuse Size : 4A (12V) Intake Pipe : 3" (76mm) Dimension : 188 x 143 x 160mm L x W x H : 7.41" x 5.63" x 6.29"
	1) 10-0370201-12V & 24 10-0370201-24V Blower Flangemount W/ Mounting Clamp & Collar Set Motor : 12V / 24V Air : 90CFM (2.53CMM) Amp Draw : 3A (12V) / 1.5A (24V) Fuse Size : 4A (12V) / 2A (24V) Intake Pipe : 3" (76mm) Dimension : 188 x 143 x 160mm L x W x H : 7.41" x 5.63" x 6.29"
	Blower Flangemount W/ Mounting Clamp & Collar Set, Intake Pipe 3" 1) 10-5023702041 12V 130CFM 2) 10-5023702042 24V 130CFM
	1) 10-VENT7624A Blower/Extraction Ventilator w/ Mounting Bracket 24V, Ignition Protected (IP67) , Complies with ISO 9097 Marine Std ID Hose -76MM Size : L 168mm x W 186mm x H 88mm Colour:Black Material: Plastic
	1) 10-35760-0092 Blowers Flangemount 4" HD 12V , JABSCO •Connections: – for 100mm (4") ducting •Dimensions: - 240mm long, 230mm high, 220mm wide •Fuse Size: - 15(amp) •Maximum Current: - 11(amps) •Output: AIR FLOW - 7 cu.m/minute (250 cu.ft/minute) •High volume intake or extraction blower for engine room duty on commercial vessels, charter yachts and other heavy-use installations

Fuel/Exhaust – Blower

	1) 10-35770-0092 Blowers Flexmount 4" HD 12V , JABSCO •Connections: – for 100mm (4") ducting •Dimensions: - 230mm long, 250mm high, 240mm wide •Fuse Size: - 15(amp) •Maximum Current: - 11(amps) •Output: AIR FLOW - 7 cu.m/minute (250 cu.ft/minute) •High volume intake or extraction blower for engine room duty on commercial vessels, charter yachts and other heavy-use installations •Flexible mounting permits 360° adjustment of outlet direction
	1) 10-SFBB2-320-02 Seaflo Bilge Blower , Flexmount 24V 320CFM (02 SERIES) Colour: White 2) 10-SFBB2-320-03 Seaflo Bilge Blower , Flangemount 24V 320CFM (03 SERIES) Colour: White
	1) 10-140 Rule In Line Blower 3" (75mm), 12V 2) 10-240 Rule In Line Blower 4" (100mm), 12V
	1) 10-SFIB1-145-03 Seaflo In Line Blower 3" Size: 145CFM 12V 5.0A
	1) 10-SFIB1-235-04 Seaflo In Line Blower 4" Size: 235CFM 12V 4.0A

Fuel/Exhaust - Blower

	Blower, In Line 4" (105mm) 1) 10-5023703011 12V 230CFM Colour: White Material: Plastic 2) 10-5023703012 24V 230CFM Colour: White Material: Plastic
 	1) 10-SFIB1-270-02 Seaflo In Line Blower 4" Size: 270CFM 12V 6.0A 2) 10-SFIB2-270-02 Seaflo In Line Blower 4" Size: 270CFM 24V 3.0A
	1) 10-116-4003000W Blower Ducting Hose (Nylon) Colour : White Size : 3"-50FT/Roll 2) 10-116-4023000 Blower Ducting Hose (Nylon) Colour : Black Size : 3"-50FT/Roll 3) 10-116-4004000W Blower Ducting Hose (Nylon) Colour : White Size : 4"-50FT/Roll 4) 10-116-4024000 Blower Ducting Hose (Nylon) Colour : Black Size : 4"-50FT/Roll

Fuel/Exhaust –Fuel Line Hose

1)  2) 	1) 10-116-368-0120 Fuel Hose Size: ½” ID X 250FT (OEM) 2) 10-116-368-0380 Fuel Hose Size: 3/8” D X 250FT (OEM)
	1) 10-3150145 Fuel Hose Size: ¼” ID (1 Roll x 25’ Fts) Colour: Black 2) 10-49-FLH Fuel Hose Size: 3/8” ID (1 Roll x 100 Fts) Colour: Gray 3) 10-51-FLH Fuel Hose Size: 5/16” ID (1 Roll x 100 Fts) Colour: Gray
	1) 10-FUHOSE08A Fuel Hose ISO 7840 Fuel A1-15 Size: ID 8MM X OD 16MM 2) 10-FUHOSE10A Fuel Hose ISO 7840 Fuel A1-15 Size: ID 10MM X OD 18MM
	1) 10-TU2702 Fuel Hose Size: ID 8MM X OD 13MM (1 Roll x 100MTR)
	1) 10-TU2721 Fuel Hose “ Sirflex “ Size: ID 7MM X OD 12MM (1 Roll x 50MTR)

Fuel/Exhaust – Primer Bulb

	1) 10-TU2725 2Mtr Fuel Hose "SIRFLEX" , ID 7MM X OD 12MM c/w PO2700 Primer Bulb, ID 8mm (5/16")
	1) 10-PO2700I Primer Bulb "SIRFLEX" OMC Type W/SST Clamps Size Hose : ID 8mm (5/16")
	1) 10-PO2720 Primer Bulb "HI TECH" Size Of Hose: 3/8"
	1) 10-18-8004S Primer Bulb Size: 5/16" Colour: Black, SIERRA 2) 10-18-8005S Primer Bulb Size: 3/8" Colour: Black, SIERRA

10 – FUEL AND EXHAUST

Fuel/Exhaust – Fuel Filter

 SOLD OUT!	1) 10-320R-RAC-01 Fuel Filter & Water Separator Set S3227 c/w Transparent Bowl & Mounting Bracket, RACOR 2) 10-S3227 Fuel Filter & Water Separator Element S3227 , 10micro, RACOR
 SOLD OUT!	1) 10-S3213 Racor Water Separator Filter
 SOLD OUT!	1) 10-CB Clear Bowl , Racor Filter
	1) 10-187946 Fuel Filter & Water Separator , SIERRA Use for Johnson/Evinrude Outboard (502905)
	1) 10-FI2586 Fuel Filter & Water Separator With Transparent Bowl c/w Castel Light Alloy Body, Flow Capacity : 100litre/hour For Engines Over 2500cc. 2) 10-FI2590 Filter Spare For FI2586, Brass

Fuel/Exhaust – Fuel Filter



- 1) 10-FI2560 Petrol Filter Up to 2000 CC



- 1) 10-20971 Filter Replacement (3Catridge) , SEACHOICE
In-line style universal fuel filter replaces any 1/4", 5/16" or 3/8" (.64cm, .79cm or .95cm) filter.
Protects all carbureted engines trapping pollutants.
Clear body permits visual inspection.



- 1) 10-30200 Wasterbeke Filter



Fuel Filter Funnel

	Flow Rate	Height	Diameter
10-F1C	2.7 Gal/Min	6"	3.5"
10-F3C	3.9 Gal/Min	8.75"	5.5"
10-F15C	12-15 Gal/Min	10"	8.5"



- 1) 10-RK11-1669 Vacuum Gauge 500/900, RACOR
This Gauge permanently replaces the T-handle on the top of the turbine series filters. The gauge measures the restriction caused by the filter and indicates when the filter element should be replaced.

Fuel/Exhaust – Oil Filter

	1) 10-AP6005 Oil Filter (Medium), Aqua Power
	1) 10-AP6008 Oil Filter (OMC174231) , Aqua Power
	1) 10-AP6029 Oil Filter (Detroit GM25010495), Aqua Power
	1) 10-AP6013 Air Filter (Cats/Kohler) , Aqua Power
	1) 10-8622407 Tee Fitting Size: 1/4" Material: Brass

Fuel/Exhaust – Deck Fill



- 1) 10-30102 Deck Fill **Diesel** C/W Key 1-1/2"
OD Hose X 1-3/4" Mounting Hole – SST
- 2) 10-30202 Deck Fill **Diesel** C/W Key 2"
OD Hose X 2" Mounting Hole – SST



38mm / 1-1/2"



50mm / 2"

- 3) 10-H0848 Deck Fill **Gas** C/W Key 1-1/2"
OD Hose X 1-3/4" Mounting Hole – SST
- 4) 10-30201 Deck Fill **Gas** C/W Key 2"
OD Hose X 2" Mounting Hole – SST
- 5) 10-H0844 Deck Fill **Waste** C/W Key 1-1/2"
OD Hose X 1-3/4" Mounting Hole – SST
- 6) 10-H0845 Deck Fill **Waste** C/W Key 2"
OD Hose X 2" Mounting Hole – SST
- 7) 10-H0846 Deck Fill **Water** C/W Key 1-1/2"
OD Hose X 1-3/4" Mounting Hole – SST
- 8) 10-H0847 Deck Fill **Water** C/W Key 2"
OD Hose X 2" Mounting Hole – SST



- 1) 10-8807203 Deck Fill **Gas**
 - Locking pop-out cap is linked with a spring-loaded security cable & key
 - Color-coded international symbol with engraved lettering
 - 48mm (1-7/8")_ installation hole is required for the 38mm fill
 - 54mm (2-1/8") installation hole is required for the 51mm fill
 - Screw size M5 or #10



- 1) 10-8807201-L Deck Fill **Water**
 - Locking pop-out cap is linked with a spring-loaded security cable & key
 - Color-coded international symbol with engraved lettering
 - 48mm (1-7/8")_ installation hole is required for the 38mm fill
 - 54mm (2-1/8") installation hole is required for the 51mm fill
 - Screw size M5 or #10

Fuel/Exhaust – Deck Fill



- 1) 10-66074 Deck Fill Cap Only Size: 1-1/2" OD
Material: SST



- 1) 10-NI2427 Deck Filler Fuel Complete Of Recess Box
Size: 50mm (2") OD Hose Material : Plastic, Colour : White



- 1) 10-TP2189 Deck Filler Fuel With Vent
Size:38mm (1-1/2") OD Hose Colour: White Material : Plastic
- 2) 10-TP2191 Deck Filler Fuel With Vent
Size:50mm (2") OD Hose Colour: White Material : Plastic



- 1) 10-32061 Deck Fill **Gas** With Vent & Cap Gas
Size: 1-1/2" Hose Colour: Black Material : Plastic



- 1) 10-99201GB1 Deck Fill **Gas** , Round Angled w/ Vented
Size: 1-1/2" Hose Colour: Black Material : Plastic

FLEXIBLE WATER TANK



Flexible Water Tanks

Flexible water tanks in ELASTOMER THERMOPLASTIC, with flange complete of all connection required for the functioning. Rectangular and triangular shapes.

Part no.	Capacity lt	A mm	B mm	C mm
10-SE2070	60	730	730	-
10-SE2072	100	880	730	-
10-SE2074	150	1150	730	-
10-SE2075	55	950	1000	130
10-SE2076	100	1100	1100	250

Water Strainer



- 1) 10-FTR132050 Water Strainer Filter Type 1320, VETUS w/ Adjustable SST (AISI316) Bracket.
Connection Size: 50MM (2")
Material: Housing – Polypropylene GF
Filter Element – Polyethylene
Cover – A.B.S



- 1) 10-SF-SWF001 Water Strainer Filter ,SEAFLO
D1:25.4MM (1"), D2: 31.8MM (1 ¼"), D3: 38.1MM (1 ½")



- 1) 10-401642 Strainer , Water Bronze Size: ¾"
Water strainers are designed for easy mounting and cleaning.They have cast bronze top and bottom housings and a drain plug in the base for easy sediment removal and draining. 304grade stainless steel strainer.



- 1) 10-H65305 Water Strainer Filter SST
Size: 1-1/2" ID Hole



- 1) 10-456DP6 FlushPro™ PERKO Fresh Water Flushing System
 - Use Inboard Engine
 - 1"Ø Hose Connector

Fuel Tank/Kit

	1) 10-SFGT-24-01 Seaflo 6 Gallon / 24 Litre Portable Fuel Tank C/W Gauge
 SE2009	1) 10-SE2009 Fuel Tank Portable Plastic 23Litre Size: H 405MM X W 330MM X D 240MM Colour: Orange Material: Plastic
 SE2010	1) 10-SE2010 Fuel Tank Portable Plastic 12Litre Size: H 400MM X W 280MM X D 170MM Colour: Orange Material: Plastic
 SE2011	1) 10-SE2011 Fuel Tank Portable Plastic 25Litre Size: H 460MM X W 340MM X D 230MM Colour: Orange Material: Plastic
 SE2012	1) 10-SE2012 Fuel Tank Portable Plastic 29Litre Size: H 510MM X W 365MM X D 230MM Colour: Orange Material: Plastic

Fuel Tank/Kit

	1) 10-SE2020 Fuel Tank Fixed Plastic 40Litre Size: L500MM X H280MM X W400MM Colour: Orange Material: Plastic																				
	1) 10-SE2021 Fuel Tank Fixed Plastic 50Litre Size: L650MM X H280MM X W400MM Colour: Orange Material: Plastic																				
	1) 10-SE2022 Fuel Tank Fixed Plastic 65Litre Size: L800MM X H280MM X W400MM Colour: Orange Material: Plastic																				
	<table><tr><th colspan="5">Fuel Tank Fixed Plastic - RED</th></tr><tr><th>Part No.</th><th>Capacity liter</th><th>Length mm</th><th>Height mm</th><th>Width mm</th></tr><tr><td>10-SE2029</td><td>62</td><td>650</td><td>400</td><td>300</td></tr><tr><td>10-SE2030</td><td>91</td><td>915</td><td>400</td><td>300</td></tr></table>	Fuel Tank Fixed Plastic - RED					Part No.	Capacity liter	Length mm	Height mm	Width mm	10-SE2029	62	650	400	300	10-SE2030	91	915	400	300
Fuel Tank Fixed Plastic - RED																					
Part No.	Capacity liter	Length mm	Height mm	Width mm																	
10-SE2029	62	650	400	300																	
10-SE2030	91	915	400	300																	
	<table><tr><th colspan="5">Fuel Tank Fixed Plastic -RED</th></tr><tr><th>Part No.</th><th>Capacity liter</th><th>Length mm</th><th>Height mm</th><th>Width mm</th></tr><tr><td>10-SE2031</td><td>62</td><td>670</td><td>300</td><td>410</td></tr><tr><td>10-SE2032</td><td>91</td><td>900</td><td>300</td><td>410</td></tr></table>	Fuel Tank Fixed Plastic -RED					Part No.	Capacity liter	Length mm	Height mm	Width mm	10-SE2031	62	670	300	410	10-SE2032	91	900	300	410
Fuel Tank Fixed Plastic -RED																					
Part No.	Capacity liter	Length mm	Height mm	Width mm																	
10-SE2031	62	670	300	410																	
10-SE2032	91	900	300	410																	

Fuel Tank/Kit



Fuel Tank Fixed Plastic - ORANGE


Part No.	Capacity liter	Length mm	Height mm	Width mm
10-SE2035	96	1100	280	400
10-SE2036	102	800	400	400
10-SE2037	120	950	400	400
10-SE2038	140	1100	400	400



1) 10-SE9026 Fuel Tank Large 406 Litre Colour: Cream Size: L1550MM X W800MM X D350MM & 380MM **NO STOCK**

2) 10-SE9028 Fuel Tank Large 210 Litre Colour: Cream Size: L1240MM X W580MM X D330MM & 340MM **NO STOCK**

1) 10-SE9000 Fuel Tank Fixed Plastic 190Litre
Size: 1240MM X 580MM X 340MM
Colour : Cream , Material: Plastic



1) 10-FCH-1DP Hold Down Strap for Fuel Container

Easily Secure Portable Gas Tanks This hold-down kit is manufactured from poly strapping to provide superior strength and good looks. The quick release buckle makes it simple to remove and replace container. The hold-down strap unit comes complete with two 62" poly straps equipped with quick release buckles and four footman loops and mounting hardware.

Fuel/Exhaust – Jerry Can



- 1) 10-SE4506 Fuel Jerry Can Plastic 5Litre
Size: H260MM X W265MM X D145MM
Colour: Red



- 1) 10-SE4507 Fuel Jerry Can Plastic 10Litre
Size: H375MM X W265MM X D145MM
Colour: Red



- 1) 10-SE4508 Fuel Jerry Can Plastic 20Litre
Size: H380MM X W370MM X D220MM
Colour: Red



- 1) 10-SFGT-05-01 Fuel Jerry Can Plastic 5 Litre, Gasoline
Colour : Red , SEAFLO
- 2) 10-SFGT-10-01 Fuel Jerry Can Plastic 10 Litre , Gasoline
Colour : Red , SEAFLO
- 3) 10-SFGT-20-01 Fuel Jerry Can Plastic 20 Litre , Gasoline
Colour : Red , SEAFLO



- 1) 10-SFDT-05-01 Fuel Jerry Can Plastic 5 Litre, Diesel
Colour: Yellow , SEAFLO
- 2) 10-SFDT-10-01 Fuel Jerry Can Plastic 10 Litre, Diesel
Colour: Yellow , SEAFLO
- 3) 10-SFDT-20-01 Fuel Jerry Can Plastic 20 Litre ,Diesel
Colour: Yellow , SEAFLO

Fuel/Exhaust – Level Sensor /Acc



Fuel gauge

Fuel / water gauge sender.

Part No.	Height (mm)
240	30 Ohm
10-SO3860	185
10-SO3861	200
10-SO3862	250
10-SO3863	270
10-SO3864	280
10-SO3865	300
10-SO3866	350
10-SO3867	380
10-SO3868	390

10-SO3869	400
10-SO3870	450
10-SO3871	480
10-SO3872	520
10-SO3873	550
10-SO3874	580

1) Level Sensor 240-30Ohm
(Water/Fuel/ Diesel)



1) 10-BE-FU-53118-DP Speed Prime Siphon Hose w/ Brass Coupling 6' x 1/2" high pressure hose allows safely transfer liquids up to 2.5gallons per minute. The quick-closing brass coupling will not allow gas to flow unless connected and as an added safety feature Features antistatic properties for improved safety when transferring fuel. Comes fully assembled. To begin liquid transfer, submerge the brass tip in the liquid and shake back and forth



1) 10-SE4520 Suction Pipe (For SE2001, SE2003, SE2009)
Size: 1/2" Length: 360mm
Material: Plastic

2) 10-SE4523 Suction Pipe (For SE2011, SE2012)
Size: 1/2" Length: 210mm
Material: Plastic



1) 10-BO2150 Inspection Porthole Round,
For Large Size Plastic Fuel Tanks
Made in Nylon Reinforced Flange , Threaded Cap with Vent,
Fuel Pick Up with Ø 10mm Hose Terminal, Vent Ø 17-19mm ,
Blinde Flange ready to take Fuel Gauge , Colour: Black

Fuel/Exhaust – Fuel Fittings

POSSIBLE COMBINATIONS



① BO2151-Fuel Filler

10 – FUEL AND EXHAUST



- 1) 10-BO2151 Filler Tube Fuel w/ Threaded Tube Kit
Straight (1) and Curve 90° (1) Threaded Filler Tube
Ø 38-50-60MM & Gaskets (2), Colour : Blue



- 1) 10-PG2131 Straight Threaded Fitting
Size: Ø 3/8" Ø10MM / Ø 12MM



- 1) 10-PG2132 Straight Threaded Inlet Fitting
Size: Ø 3/8" Ø17MM / Ø19MM

Fuel/Exhaust – Accessories



- 1) 10-TP2104 Male Thread Stopper GAS
Colour: Black
Size: 3/8"
Material: Plastic



- 1) 10-TP2101* Cap With Vent For Fuel Tank Portable Tank
Colour: Black
Size: OD 2-7/8"
Material: Plastic



- 1) 10-TP2102 Cap With Vent For Fuel Tank Fixed
Colour: Red
Size: OD 2-5/16"
Material: Plastic



- 1) 10-TP2108 Cap with Vent & Fuel Gauge for Fuel Tank Portable
Suitable for SE2001 - SE2003 - SE2010 Colour: Black

Fuel/Exhaust – Fuel Connector



- 1) 10-IN2202 Fuel Connector Male Threaded **OMC** For Tank
Colour: Black Material : Plastic



- 1) 10-IN2203 Fuel Connector Male with Valve **OMC** For Engine
Colour: Black Material: Plastic



- 1) 10-IN2204 Fuel Connector Female **OMC** for Fuel Line Engine & Tank Side
Colour: Black Material : Plastic



- 1) 10-IN2230 Fuel Connector Female **OMC** For Fuel Line Engine And Tank Side
Colour : Grey Material : Plastic,



- 1) 10-IN2207 Fuel Connector Male Threaded **YAMAHA** For Tank
Colour: Black Material : Plastic

Fuel/Exhaust – Fuel Connector

 (1) (2)	10-IN2208 Fuel Connector Male YAMAHA/MARINER/MERCURY For Engine Colour: Black Material : Plastic 10-IN2209 Fuel Connector Female YAMAHA/MARINER/MERCURY For Fuel Line Engine Side, Also for Fuel Line Tank Side “YAMAHA” Colour: Black Material : Plastic
	10-IN2231 Fuel Connector Female YAMAHA/MARINER/MERCURY For Fuel Line Engine Side, Also for Fuel Line Tank Side “YAMAHA” Colour: Grey Material : Plastic
	10-IN2210 Fuel Connector Male Threaded MERCURY For Tank Colour: Black Material : Plastic
	10-IN2232 Fuel Connector Female MERCURY/MARINER for Tank Side Colour: Grey Material : Plastic

Fuel/Exhaust – Fuel Connector

	1) 10-IN2224 Fuel Connector Male TOHATSU/NISSAN For Engine Material: SST
	1) 10-IN2223 Fuel Connector Female TOHATSU/NISSAN For Fuel line Engine Side Material: SST
	1) 10-IN2220 Fuel Connector Male SUZUKI/CHRYSLER/FORCE for Tank Material: SST
	1) 10-IN2219 Fuel Connector Female SUZUKI/CHRYSLER/FORCE For Fuel Line Engine Side Material: SST
	1) 10-IN2222 Fuel Connector Male HONDA/TOHATSU/NISSAN/SUZUKI For Tank Material:SST

Fuel/Exhaust – Fuel Connectors

	1) 10-IN2221 Fuel Connector Female HONDA/SUZUKI/TOHATSU/NISSAN For Fuel Line Tank Side Material: SST
	1) 10-483MMC Fuel Connector Mercury - Male (Old Version) Size: 3/8" Barb Acetal
	1) 10-51309 Fuel Connector Mercury - Female (Old Version) Size: 3/8" Barb Acetal
	1) 10-8406033 Fuel Connector Mercury c/w Straight Fitting – Female (Old Version) Size: ¼" NPT Alum
	1) 10-8622402 Valve Fuel Line 3Way Material: Brass

Fuel/Exhaust – Siphone/ Hose Connector



- 1) 10-MA2296 WC Siphone W/ Vent Valve
Hose Connector Dia : 13mm to 38mm
Size : L 280mm x W 158mm
Colour : Grey




- 1) 10-ASDV Anti Syphon Device With Valve , VETUS
Size: Ø Hose : 13mm -19mm - 25mm - 32mm



- 1) 10-PG2170 Hose Connector Universal
Size: 13MM to 38MM
Colour : Grey



- 1) 10-PG2171 Hose Connector Universal
Size: 13MM to 60MM
Colour : Grey



(1)

- 1) 10-HA1338 Hose Adapter Plastic , Size:13-38MM


(2)

- 2) 10-HA3060 Hose Adapter Plastic, Size: 30-60MM

Fuel/Exhaust – Reduction Connector

	1) 10-AQ4045 90Deg Connector Withdouble Hose Fittings Size: 38MM Dia Colour: White Material:Nylon
	1) 10-AQ4046 Y Type Connector Size: 25-25-38MM Colour: White Material: Nylon 2) 10-AQ4047 Y Type Connector Size: 25-25-25MM Colour: White Material: Nylon 3) 10-AQ4048 Y Type Connector Size: 38-38-38MM Colour: White Material: Nylon
	Reduction Connector 1) 10-AQ4049 Size From 38mm To 25mm Colour: White 2) 10-AQ4056 Size From 19mm To 13mm Colour: White 3) 10-AQ4057 Size From 19mm To 16mm Colour: White 4) 10-AQ4058 Size From 25mm To 19mm Colour: White 5) 10-AQ4059 Size From 32mm To 25mm Colour: White 6) 10-AQ4060 Size From 38mm To 32mm Colour: White

Fuel/Exhaust – Rigging Flange/ Hose



No	Part No	Descriptions
A1	10-RF-1-DP	Rigging Flange, Fits 2” ID Hose , Black
A2	10-RF-2.5-1	Rigging Flange, Fits 2.5” ID Hose, Black
B1	10-RFH-1-DP	Rigging Hose, 2” ID , Black
B2	10-RFH-2.5-1	Rigging Hose, 2.5” ID, Black



No	Part No	Descriptions
C	10-RFK-1-DP	Rigging Flange 2” ID w/ 4FT Hose, Black



Part No.	Descriptions
10-RFFHP-1	Rigging Flange w/ Fuel Hose Port, Black
10-RFHU-1	Rigging Flange Hose Union, Black



Part No.	Descriptions
10-RFT-1	Rigging Flange-Tri-Shape, Fit 2” Hole Blk
10-RFT-1KIT	Rigging Flange Fit 2” Hole w/ 4’FT Hose & SST Hose Clamp



1) 10-VHF-3 Vent Hose Flange Size: 3” Colour: Black

2) 10-VHF-4 Vent Hose Flange Size: 4” Colour: Black

Fuel/Exhaust – Muffler/Waterlock

	10-DEMPMP50 Muffler Type DMPMP50 Hose ID : 50MM Dia. Colour: Grey Material: Plastic 10-DEMPMP75 Muffler Type DMPMP75 Hose ID: 75MM Dia. Colour: Grey Material: Plastic 10-DEMPMP100 Muffler Type DMPMP100 Hose ID: 100MM Dia. Colour: Grey Material: Plastic
	10-NLP50 Waterlock Dual Stage Type NLP50 , Hose ID: 50MM Colour: Grey Material: Plastic 10-NLP75 Waterlock Dual Stage Type NLP75 , Hose ID: 75MM Colour: Grey Material: Plastic 10-NLP90 Waterlock Dual Stage Type NLP90 , Hose ID: 90MM Colour: Grey Material: Plastic
	10-LT102 GooseNeck Type LT102 W/ SST (AISI 316) Mounting Bracket , ID Hose : 102mm , VETUS Size: L 210mm x W 300MM x H 525mm Material: Plastic 10-LT7575 GooseNeck Type LT75 W/ SST (AISI 316) Mounting Bracket , ID Hose : 75mm , VETUS Size: L 155mm x W 235MM x H 500mm Material: Plastic
	10-TRC50PV Transom Exhaust Connection With Synthetic Body and Integral Check Valve , ID Hose: Ø 50MM 10-TRC75PV Transom Exhaust Connection With Synthetic Body and Integral Check Valve , ID Hose: Ø 75MM
	10-SC2497 Rubber Through –Hull Drain w/ SS Fixing Unit Riduction Joint 40-45-50mm

Fuel/Exhaust – Accessories

	10-SLANG50 MTR Exhaust Hose Rubber Size: D51MM 20M Roll/ Price Per Metre 10-SLANG75 MTR Exhaust Hose Rubber Size: D76MM 20M Roll/ Price Per Metre
	10-ST135A Sound Insulation, Sonitech Single with Self-Adhesive VETUS Size: L 1000MM X W 600MM X H 35MM