



12 Trailers Parts & Accessories


Trailer Bow Roller

	1) 12-109902 End Caps Size: Ø 3 ½", Colour: Black Material: Rubber
	1) 12-8409001 Bow Roller Size : L 76mm (3") x OD 75mm (3") x Bore 13mm Colour: Black Material : Rubber
(1)  (2) 	1) 12-BRB1475 Bow Roller 3" Black c/w 2 Caps & Bolt & Nut M12 x 180mm Colour : Black Material: Rubber 2) 12-BRB14100 Bow Roller 4" Black c/w 2 Caps & Bolt & Nut M12 x 130mm Colour : Black Material: Rubber
 SOLD OUT!	1) 12-BRG14100 Bow Roller 4" Golden c/w 2 Caps & Bolt & Nut M12 x 160mm Size: OL 6-1/4" x OD : 4-3/4" x Weight : 300gram Colour : Golden Material: Soft Poly
(1)  (2)  SOLD OUT!	1) 12-8409002 Spool Roller 4" Size : L 100 mm (4") x OD 75mm x Bore 16mm Colour : Black , Material : Rubber 2) 12-8409003 Spool Roller 5" , Size : L 127mm (5") x OD 75mm x Bore 16mm Colour : Black , Material : Rubber

Trailer Spool/ Keel Roller

	1) 12-KR1105 Spool Roller 6" w/ Plastic Pipe Reinforced Size: L151mm (5.94") x OD 72mm (2.83") x ID17mm (0.66") Colour : Black Material : Rubber Brand : Multiflex
	1) 12-KR1106 Keel/Sydney Roller 6" w/ Plastic Pipe Reinforced Size: L162mm (6.37") x OD 63mm (2.48") x ID 17mm (0.66") Colour : Black Material : Rubber Brand : Multiflex
	1) 12-8409007 Keel Roller 10", Colour : Black, Size : L240mm (9.5") x OD 89mm x Bore 16mm (5/8") Material : Rubber
	1) 12-HKR9004 Keel Roller Heavy Duty 8" Size: L195mm (7.67") x OD: 87mm (3.42") x ID 18mm (0.70") Colour : Black Material : Rubber Brand: Multiflex
	1) 12-11319-1 Keel Roller Polymer 8" Size: L 191mm (7-1/2 ") x OD 75mm (2.95") x Bore 18mm (0.70") Colour: Golden Material: Polymer Brand: Attwood

Trailer V-Bow Guard

	1) 12-D2898 V Bow Guard Size: W 115mm (4 ½") X H 80mm (3 ¼") Colour : Black Material: Rubber
	1) 12-8722304 V-Bow Guard Size: L95mm (3.7") , Base 75mm x 78mm x Bore 13mm (½") Colour : Black Material : Rubber
	1) 12-VBG20120 V Bow Guard Size : L 8-1/4" (210mm) x W 2-7/8" (73mm) Hole : 20mm Colour : Golden Material: Poly Vinyl

Trailer Wobbler Roller



- 1) 12-WR1312 Ribbed Wobbler Roller 5" w/ Nylon Side Bush
Size : W 127mm (5") x H 77mm (3.03") x ID 25mm (2.98")
Colour : Black
Material : Rubber
Brand: Multiflex



- 1) 12-D2969 Wobble Roller,
Size : H 110mm (4.3") x W 75mm (3") x ID 22mm
Colour : Grey
Material : Plastic
Brand : Dunbier




- 1) 12-11882-1 Groove Rib Roller Polymer with Nylon Instert
Size: 5" Ø (127mm) X W 75mm (3") , ID : 20mm
Colour: Yellow
Material: Polymer
Brand : Attwood



- 1) 12-EG13 EZ Guide Self -Aligning Boat Loading System
Suits Power Boats – 6.0 to 8.5m (20-28ft)
Solo launching and loading
Avoid loading your boat off the rollers and damaging your boat
U-bolt Ezi-Mount system (no power tools or drilling required)
Slotted mounting bracket to suit 50-75mm cross beams
50mm U-bolts supplied
Rush resistant dacromet finish

Trailer Hub & Stud Axle

	1) 12-FD150G Trailer Hub Non-Brake 5 stud, Galvanised c/w bearings, dust cap, marine seal, fitted with stud & nuts • Stud Pattern : Ford 5 x 114.3mm • Bearing Type : Ford • Stud Size : 1/2" • Stud Distance : 67.18mm • Hub Size : 150mm (6") • Suit Axle : 45mm • Material : Galvanised Steel
	1) 12-LF190G Trailer Hub Non-Brake 6 stud, Galvanised c/w bearings, dust cap, marine seal, fitted with stud & nuts • Stud Pattern : Land Cruiser 6 x 139.7mm • Bearing Type : Ford • Stud Size : 1/2" • Stud Distance : 69.85mm • Hub Size : 190mm (7-1/2") • Suit Axle : 45mm • Material : Galvanised Steel
	1) 12-D1657 Trailer Hub Non-Brake 6 stud Galvanised (Not included of bearings, dust cap, marine seal & nut) Suit Axle : 39mm (12-SAX398) - option Suit Bearing : 39mm (12-MBK32) - option Material : Galvanised
	1) 12-53041 Trailer Hub Kit c/w 2 pcs 1" (25mm) bearing , 5 pcs 1/2" lug nut 5 pcs Studs, 1 pc grease seal, 1 pc cotter pin 1 pc dust cap Suit Jet Ski Axle Material : Steel Galvanised Brand : SEACHOICE
	1) 12-DH12FDG Trailer Hub Disc Brake 5 stud, Galvanised c/w bearings, dust cap, marine seal, fitted with stud & nuts • Stud Pattern : Ford 5 x 114.3mm • Bearing Type : Ford • Stud Size : 1/2" • Stud Distance : 67.18mm • Hub Size : 260mm (10") • Suit Axle : 45mm • Material : Galvanised Steel

Trailer Hub / Stud Axle

	12-D1917 Hub Disc Brake 6 Stud Galvanised, Disc 16mm with Land Cruiser Stud Pattern includes bearings seal & dust cap Suits : Holyrod 65mm Square Axle DUNBIER
	12-SAX459 Stud Axle Square 45mm x 9" (23cm) Capacity : 750kg /pc , Finish : Black 12-SAX4512 Stud Axle Square 45mm x 12"(30.5cm) Capacity : 750kg /pc , Finish : Black Suits slim line Ford bearings L68149/10 & LM12749/10 All axles supplied complete with slotted nuts, split pins and washers
	12-SAX398 Stud Axle Round 39mm x 8" (20.5cm) Capacity : 375kg /pc , Finish : Black Suits LM Holden bearings LM67048/10 & LM11949/10 All axles supplied complete with slotted nuts, split pins and washers
 (1)  (2)	12-SPL1BR-B Stud Round Straight Spindles c/w Washer & Nut D: 1- 1/4 " (32mm) X Lgth 8" x Thread Nut 1" (25mm) 12-SPL1BR-S Stud Round Straight Spindles c/w Washer & Nut D: 1- 1/4 " (32mm) X Lgth 8" x Thread Nut 3/4" (19mm) Use for Jet Ski Hub , Capacity : 2000lbs Waterland
	12-SPL17R-S Stub Round Straight Spindles c/w Washer & Nut D: 1- 1/4" (32mm) X Lgth 6-3/4" x Thread Nut 3/4" (19mm) Use for Jet Ski Hub , Capacity : 2000lbs Waterland

Trailer Bearing /Seal



- 1) 12-MBK32 Marine Bearing Kit 39mm
Holden type bearings, suits 39mm round and 40mm square trailer axle. Kit consists of small and large bearings, waterproof seal and split pin



- 1) 12-MBK35 Marine Bearing Kit 45mm
Ford type (slim line) bearings, suits 45mm square trailer axle. Kit consists of small and large bearings, waterproof seal and split pin



- 1) 12-MS32 Bearing Seal, Waterproof Holden Type
Suits 39mm round axle and 40mm square trailer axle



- 1) 12-SBP34B Bearing Protector, SST
c/w Blue PVC Dust Caps, Set of 2
 - Automatically lubricates bearings
 - Protects bearings from water & dust
 - PVC cap included



- 1) 12-51541 Bearing & Hub Protector , Fits 1.980" Hub
Size : L 8.75" x W 3.75" x H 2.25" inches
Material: Molded polycarbonate , Brand: Seachoice USA
 - A unique coiled stainless steel spring combined with a neoprene seal, maintains grease under constant pressure when filled.
 - A built-in outlet allows surplus grease to escape if the hub is over filled or excessive pressure occurs.
 - Extended grease fitting indicates full or that that additional grease is needed. The integral flange allows for simple installation and removal.

Trailer ARK Parts

	1) 12-DC45 Dust Cover Zinc Plated Suits ARK 5-1/2" and 6" Hubs Disc Hub 9" & 10" with tapered bearings Size : OD : 63.5" x H 37" Material : Steel-Zinc Plated
	1) 12-ANPW34B Axle Nut, Washers & Split Pins Set consist of 2 pcs Axle slotted nuts 3/4" UNF, 2 pcs Axle Split Pins 4mm x 32mm 2 pcs Axle Washers 3/4" Material : Steel Zinc plated
	1) 12-SN12 Wheel Stud Nut Size : 1/2" UNF Material : Steel Zinc Plated SOLD OUT 2) 12-D1670 Wheel Stud Nut Size : 7/16" Material : Steel-Zinc Plated
	1) 12-ST12 Wheel Stud Harden Steel Size : 1/2" UNF x 41mm, Material : Steel-Yellow Zinc Plated

EZ Loader Trailer Parts

	1) 12-250-020841 Cap Bearing Protector 6 H Sure Lube Size : Outer Diameter : 62mm Material : Steel-Zinc Plated Brand : EZ Loader ,
	1) 12-290-002650-02 E' Clip For Wobbler Roller Size : Diameter : 3/16" Material ; Steel-Zinc Plated Brand : EZ Loader
	1) 12-290-013491 Washer For Wobbler Roller Size : Inner Dia : Ø1" , Outer Dia : Ø2" , Thickness : 0.1 " Material : Steel-Zinc Plated Brand : EZ Loader
	1) 12-290-031573 Wheel Bolt 1/2 " Size : Diameter : 1/2" x 20UNF Material : Steel-Zinc Plated Brand : EZ Loader
	1) 12-250-025179 Trailer Light Wiring Harness Kit , 4Pin Flat Length : 25ft (Male) & 4ft (Female) Cable : 18AWG Colour Coded 5 Wires Brand : EZ Loader / Wesbar


Trailer Mudguard & Rim

	1) 12-D2225 Trailer Mudflaps , (sold in pairs) Suits Plastic Mudguard Wheel 13" & 14". Size : Color :White . H 9 ½" X W 9" Brand: Dunbier
	1) 12-D2390 Mudguard Plastic , Single for 14" rim Size : OL 42-1/2 " x ID : 32" x W 10" x H 13-1/2" Colour : White Material : Plastic Brand: Dunbier
 (2)	1) 12-MGP13B Mudguard Plastic, Single for 13"rim Size : OL 37" x ID : 27" x W 9-1/2" x H 12" Colour : Black Material : Plastic 2) 12-MGP13W Mudguard Plastic, Single for 13"rim Size : OL 37" x ID : 27" x W 9-1/2" x H 12" Colour : White Material : Plastic
	1) 12-MMS00130 Mudguard Metal , Double Size : L1549mm (61") x W 245mm (10") x H 390mm (15.4") Material : Steel-Galvanised
 (1&2) (3)	1) 12-W13FG Rim 13"inch, 8 spoke, 5stud, Galvanised Stud Pattern : Ford 5 x 114.3mm , HT – 5 x 107.95mm Tyre Size : 155R13C, Rating : 515kg, Brand : Meher 2) 12-W14FG Rim 14"-inch, 8 spoke, 5 stud, Galvanised Stud Pattern : Ford 5 x 114.3mm , HT – 5 x 107.95mm Tyre Size : 185R14C, Rating : 850kg, Brand : Meher 3) 12-W615GS Rim 15"-inch, 8 spoke, 6 stud , Galvanised Landcruiser Type, Bolt Pattern : 6 on 5-1/2" , Wheel Width : 6"-inch , Tyre: 235/75R15

Trailer Light & Accessories

(1)  (2) 	1) 12-LDU10 Ultra Slim Square LED Trailer Lamp , Size : Length : 100mm x Width 90mm x Height 17mm Material : Plastic 2) 12-LDU15 Ultra Slim Rectangular LED Trailer Lamp Size : Length : 150mm x Width 78mm x Height 17mm Material : Plastic 4 combined function:- stop, tail, signal & reflex reflector Fully submersible, Impact resistant , 100,000 hours operation
	1) 12-SLD15L Slimline Rectangular LED Trailer Lamp , Size : Length 150mm x Width 80mm x Height 26mm 2) 12-SLD15R Slimline Rectangular LED Trailer Lamp Size : Length 150mm x Width 80mm x Height 26mm Stop/Tail, Indicator, Built-in reflex reflect. 100% Submersible , Polycarbonate lens. Pre-wired and mounting screws. 100,000 hours of operation , Material : Plastic
	1) 12-ASS99 Trailer Lamp, Submersible (set of 2) Designed & manufactured for maximum durability with impact resistant lens protector. Lens is fully sealed by means of an O-ring rubber seal. 5 combined function; stop, tail ,indicator license plate & built-in reflex reflectors. Fitted with 12V bayonet lamp. Wire connectors and flexible license plate holder Size : Length 21cm x Width 10cm x Height 7.5cm Material : Plastic
	1) 12-D2482 Tail Light Water Proof Low Profile 80"ins – Left 2) 12-D2483 Tail Light Water Proof Low Profile 80"ins – Right Size : Length 8" x Width 2-13/16" x Height 2-13/16" Material : Durable ABS Housing & Acrylic Lens Brand : WESBAR
	1) 12-74141 Submersible Trailer Light Kit 12V, Night Blaster under 80" Trailer with Harness Material : Plastic Brand : Optronics


Trailer Light & Accessories



- 1) 12-MLK984 Magnetic Tow Lamp Kit c/w 8mtr lead cable & 7pin small plug. Powerful magnets, mounts securely, ideal for use on towed vehicles, boat trailers and trucks . Useful as an extra safety set of rear lights or hazard lights. Incandescent lamps mount up to 1.5mtr apart with 8mtr of lead cable connected with 7pin small round plug. Convenient and compact carry case.



- 1) 12-TB153 Incandescent Trailer Board 1.5 meter length c/w 8m cable moulded to universal sockets (3 trailer plug) 12V Board Length : 1.5m /4ft 9"ins



- 1) 12-LDA70 Slimline Marker LED Lamp Multi-Volt pre-wired to 0.15 meter cable, Colour : Amber /Orange
 - 2) 12-LDR70 Slimline Marker LED Lamp Multi -Volt pre-wired to 0.15 meter cable, Colour : Red
- Fully sealed 100,000 hours of operation.
Size : Length 600mm X Width 35mm X Height 22mm
Material : Plastic





- 1) 12-RR2285 Reflex Reflector, Self Adhesive Base
Size : W 22mm X L 85mm
Colour : Red
Material : Plastic



- 1) 12-AR2070 Reflex Reflector , Self Adhesive Base
Size : W 20mm X L 70mm
Colour : Orange /Amber
Material : Plastic
- 2) 12-AR2285 Reflex Reflector, Self Adhesive Base
Size : W 22mm X L 85mm ,
Colour : Orange /Amber
Material : Plastic

Trailer Light & Accessories

	1) 12-250-023738 Light Front , SDMCK Lens Colour : Amber/ Orange Size : Length 94mm x Width 57mm x Height 24mm Material : Plastic Brand : EZ Loader
	1) 12-57032 Cable , Electrical (5 Core) 2.0mm x 7 strand Amp Rating : 4.0amp Size : 2mm Strand : 7/0.32 Colour : Black
 (1) SOLD OUT!	1) 12-EAS7RLP 7 Pin Round Trailer Socket Plastic N Type 2) 12-EAS7RLA 7 Pin Round Trailer Socket Aluminium NO STOCK
 (1) (2)	1) 12-LPS7B 7 Pin Large Round Trailer Socket Plastic Standard Mount 2) 12-LMS7B 7 Pin Large Round Trailer Socket Metal, Standard Mount
 (1) (2)	1) 12-LPP7B 7 Pin Large Round Trailer Plug Magnetic, Plastic 2) 12-LMP7B 7 Pin Large Round Trailer Plug, Metal

Trailer Parts & Accessories




1) 12-EAP7RLA 7 Pin Large Round Trailer Plug Aluminium




1) 12-LC360 Flat Bracket for Socket

Suitable for standard large round plastic socket
Length : 108mm (4.3") x Width : 94mm (3.7")
Material : Metal


Towing Coupler/ Bracket

(1)  (2) 	1) 12-5100 Trailer Coupler , Posi Lock, High Mounting Hole , Size Ball : 2" , Channel Size : 3" , Tongue Load: 700lbs/318kg Gross Load : 5000lbs/ 2268kg Material: Painted Steel (Silver) Brand : Shelby 2) 12-5131 Trailer Coupler , Posi Lock, Brand : Shelby Size Ball: 1-7/8",Channel Size : 3",Tongue Load: 200lbs/91kg Gross Load : 2000lbs / 907kg . Material: Steel-Painted (Silver)
	1) 12-TFTR1001 Trailer Coupler (Gross Load : 2000lbs) Size Ball : 1-7/8" , Channel Size : 2" , 2) 12-TFTR1002 Trailer Coupler (Gross Load : 3500lbs) Size Ball : 2" , Channel Size : 2-1/2" , 3) 12-8409041T Trailer Coupler (Gross Load : 3500lbs) Size Ball : 2" , Channel Size : 3" , Material : Steel-Zinc Plated
	1) 12-CAS22Z Trailer Coupling Quick Release 50mm, 2000kg with adjustable screw, built in padlock facility, 2 hole standard Size : Hole to Hole : L102mm , ID Hole 14mm Material : Steel-Zinc Plated
	1) 12-A795 Trailer Fixed Ring Coupling Size : 75mm Ø, Painted 3500kg rated road use 6000kg rated agriculture use Material : Steel-Painted
	1) 12-20107 Towing Bracket for Pajero / Land cruiser (custom made) Size : L 4" x W 5" x H 12-1/2" Towing Hole : ID Ø 20mm Base Hole : ID Ø 14mm Colour: Black Material : Steel-Painted

Towing /Coupler Accessories

	1) 12-BE-TR-59401-DP Trailer Coupler Safety Pin Zinc Plated Features •Coupler Safety Pin •1 3/4" in Length •1 1/2" Clearance • Zinc Plated • Fits all common coupler latches • Material : High Strength Steel , Coated in a corrosion –resistant finish Specs •Diameter: 1/4" •Length: 1-3/4"
 Fits for 1-7/8" or 2" trailer ball	1) 12-5150-94 Posi-Lock Coupler Repair Kit ,1-7/8" Ball, 2000lb Fits Shelby Coupler 5105, 5128, 5131 Brand : Shelby 2) 12-5151-94 Posi-Lock Coupler Repair Kit ,2" Ball, 3500lb Fits Shelby Coupler 5111, 5133, 5135 Brand : Shelby
	1) 12-TFTR0802 Trailer Ball 17/8" X 3/4" Nut Length Shaft 2" Capacity : 2000lbs 2) 12-TFTR0903 Trailer Ball 2" X 3/4" Nut Length Shaft 2" Capacity : 3500lbs 3) 12-TFTR0907 Trailer Ball 2" X 1" Nut Length Shaft 2" Capacity : 5000lbs
	1) 12-PVC50 Trailer Ball Cover Suit 50mm (2") & 1-7/8" ball Colour : Black Material : PVC
	1) 12-TBS41B Towing Multi Spanner Tool Tightening and Removing tow ball, "D" shackle, 3/4" axle nut . Comfort grip. Made from forged high tensile steel , Finish : Steel-Zinc Plated

Trailer Over-Ride Couplers

 (1) SOLD OUT!	1) 12-ORC50 Trailer Coupling Over Ride, 50mm, 2000kg fitted with reversing lock and padlock facility, Ball Size : 50mm , Material : Steel-Painted 2) 12-ORC50G Trailer Coupling Over Ride, 50mm, 2000kg fitted with reversing lock and pad lock facility, Ball Size : 50mm , Material : Steel-Galvanised NO STOCK
 SOLD OUT!	1) 12-CO2000Z Trailer Coupling Over Ride, 50mm, 2000kg Ball Size : 50mm Material : Steel-Zinc Plated
	1) 12-A790 Trailer Coupling Ring with Over Ride Brake Facility Size 75mm Ø , 2000 kgs , Material : Steel-Painted
	1) 12-ZZHCKG Hydraulic Override Coupling 50mm, 2000kg c/w Hydraulic Coupling Handbrake Galvanised & Master Cylinder 3/4" & 4 Hole Base Plate Material : Steel-Galvanized

Trailer Mechanical Brake Parts

	1) 12-ACOMBH90G 90mm Boat Trailer Handbrake Material : Steel-Galvanized *EXTRA PART FROM 12-MCKG
	1) 12-MBP50G Low Profile Brake Arm Galvanised Finish Suits mechanical disc and drum brake trailers Manufactured by pressed steel with comfort grip handle, suits industry standard 4 bolts couplings suits ORC50 override and XO Series off road trailer couplings Material : Steel-Zinc Plated
	1) 12-CA10 Brake Cable Adjuster with combined pulley and turnbuckle. Material : Steel-Zinc Plated
	1) 12-CM100G Brake Caliper, Mechanical Galvanised body with SST components, Complete with disc pads and mounting bolts, Suits 1/2" and 5/8" disc hubs Material : Steel-Galvanized
	1) 12-PVC-3-16 Wire Rope Galvanised with Clear PVC Coated (use for mechanical brake system) OD : 5mm , ID: 3mm Material : Steel-Galvanized

Trailer Mechanical Brake Parts

	12-70606 Wire Rope Clip SST (Cable Camp) Wire Size : ¼" Material : SST 12-H0706-0005 Wire Rope Clip SST (Cable Camp) Wire Size : 3/16" Material : SST NO STOCK
	12-SSS16612 Brake Caliper Slides SST Suits mechanical & hydraulic brake caliper Material : SST
	12-DP1028 Brake Disc Pads (Pair)

Trailer Hydraulic Brake Parts

	1) 12-HBR50G Brake Bracket Assy , Hydraulic , Steel-Galvanized Suits ORC50 override and XO Series off road couplings NO STOCK Compatible with $\frac{3}{4}$" , 7/8" , 1" master cylinder Brand : ARK 2) 12-HBR50 Brake Bracket Assy , Hydraulic , Steel-Painted Suits ORC50 override and XO Series off road couplings NO STOCK Compatible with $\frac{3}{4}$" , 7/8" , 1" master cylinder Brand : ARK
	1) 12-MSK78 Master Cylinder Pump 7/8" Brand : ARK
	1) 12-ACOHBH Coupling Handbrake, Hydraulic Material : Steel-Galvanised Brand : MEHER *EXTRA PART FROM 12-ZZHCKG
	1) 12-BHMC3/4 Master Cylinder Hydraulic Size: 3/4" inch Material : Steel-Galvanised Brand : MEHER * EXTRA PART FROM 12-ZZHCKG
	1) 12-D1960 Disc Brake Caliper, Hydraulic with 2 pcs Disc Pad, 2 pcs Bolt 2 pcs Spring Washer & 2 pcs SST Slides Material : Steel-Galvanized Brand : DUNBIER

Trailer Hydraulic Brake Parts

	1) 12-D1956 Disc Brake Caliper , Hydraulic - DUNBIER / MEHER c/w 2 pcs disc pads & 2 pcs Mounting Bolts Material-Steel-Galvanized BRAND : DUNBIER
	1) 12-D1850 Flexible Hose for Hydraulic Brake Suits All Hydraulic 3/16" Brass Brake Fittings
	Brake Line Hydraulic , Steel with Brass Fittings 3/16" 1) 12-D1889 Length : 305mm / 12" ins, Suits 3/16" fittings 2) 12-D1890 Length : 445mm / 17-1/2" ins , Suits 3/16" fittings 3) 12-D1891 Length : 762mm / 30" ins , Suit 3/16" fittings 4) 12-D1892 Length : 1435mm / 56-1/2" ins , Suits all 3/16" fittings 5) 12-D1900 Length : 1626mm / 64"ins , Suits all 3/16" fittings Material : Steel
(1)  (2) 	1) 12-D1860 3 Way Tee , Hydraulic Suits 3/16" Brake Lines Material : Brass 2) 12-D1870 Brake Line Joiner Hydraulic Suits 3/16" Brake Lines Material : Brass
(1)  (2) 	1) 12-D1880 Brake Line Connector, Suits Master Cylinder & Caliper Hydraulic Material : Brass 2) 12-D1881 Cooper Washer Material : Copper


Trailer Brake Plate

	1) 12-MPO45 Brake Caliper Mounting Plate Off Centre Type, Suits 45mm Square Axle Material : Steel, Finish : Black
	1) 12-MP39 Brake Caliper Mounting Plate Centre Type, Suits 39mm Round Axle Material : Steel, Finish : Black
	1) 12-MP45 Brake Caliper Mounting Plate Centre Type, Suits 45mm Square Axle Material : Steel, Finish : Black
	1) 12-D1958 Brake Caliper Mounting Plate Suits : Dunbier Hydraulic Axle Material : Steel Galvanised Brand : DUNBIER

Trailer Tongue Jack

	1) 12-JS35SU Jockey Stand Side winder with locking swivel U-bolt bracket. 350 Kg load capacity Adjustable Height : 17"ins – 27"l Material- Steel-Zinc Plated Brand : ARK
	1) 12-JWN6SU Tongue Jack Standard . U-Bolt Swivel with 6" solid rubber wheel , Rated up to : 350kg , Adjustable Height : 21"ins – 31" ins Quality zinc plating Replaceable winding handle Material- Steel-Zinc Plated Brand : ARK
	1) 12-JWN8SU Tongue Jack Standards, U-Bolt Swivel with 8" solid rubber wheel with steel rim , Rated up to : 350kg , Adjustable Height : 23-1/2" ins - 33-1/2" ins Quality zinc plating Replaceable winding handle Material- Steel-Zinc Plated Brand : ARK
	1) 12-JW8SUHD Tongue Jack Heavy Duty, U-Bolt Swivel with 8" solid rubber wheel with steel rim, Rated up to : 500kg , Adjustable Height : 23-1/2 " ins – 33- 1/2"ins Superior rust resistant dacromet finish Material- Steel-Dacromet® Finish Brand : ARK
	1) 12-BE-TR-59192-DP Offset Swing Up Trailer Jack 1500lbs/ 680kg Features •Rotates to fit any standard 3", 4" or 5" trailer tongue or frame •Grease Fitting •"No Kick" Design •Includes Mounting Hardware • Material : Steel-Zinc Plated Specs •Adjustment: 10" Travel •Lift: 23.5" – 33.5" ins •Wheel Size: 6"

Trailer Tongue Jack Accessories

	1) 12-HDL50B Tongue Jack Handle Suits standard / 350kg tongue jack Material : Steel-Zinc Plated NO STOCK
	1) 12-HDL57 Tongue Jack Handle Suits 500kg tongue jack Material : Steel-Galvanized
	1) 12-NW6 Replacement Wheel Wheel Size : 6" / 150mm Shaft : Size : 12mm Colour : Blue /Black Material : Solid Rubber with Nylon Rim
	1) 12-SW8 Replacement Wheel Wheel Size : 8" / 200mm , Shaft : Size : 22mm Material : Solid Rubber with steel rim Colour : Black
	1) 12-D1350 Replacement Solid Rubber Wheel Size: 6" Ø Dimension : 150mm x 50mm Weight Capacity : 250kg Material : Solid Rubber Colour : Black Brand : DUNBIER

Trailer Winches

	Manual Winch Single Speed					
	Part No.	Load	Gear Ratio	Reel Cap (ft) / Rope Size Ø		
		Lbs / Kgs		5/16"	3/8"	7/16"
	12-54501	900 / 408	3.1:1	20'	15'	
	12-54501C	900 / 408	Different model/ordered wrongly			
	12-54502	1200 / 544	4.1:1	33'	24'	18'
	12-54503	1400 / 635	4.1:1	33'	24'	18'
	12-54504	1700 / 771	5.1:1		35'	28' L

	Manual Winch Two Speed				
	Part No.	Load Capacity (lbs) (kg)	Gear Ratio	Hand Brake	Handle Length
	1) 12-5461-81	2300 / 1043	4.1:1 & 11.8:1	Yes	10"
	2) 12-54513	2800 / 1270	5.1:1 & 14.7:1	Yes	10"
Material : Zinc Supersealer			Brand : Shelby		

	1) 12-9715388 Trailer Manual Winch . 800lbs / 360kg Specification • Ratchet : 1-Way • Gear Ratio : 3:1 • Drum Capacity : Cable : Ø 5mm x 5m , Strap : 50mm x 5m • Material : Steel with Black E.D Coating
--	---

	1) 12-9715392	Trailer Manual Winch , 1200lbs / 545kg
	2) 12-9715394	Trailer Manual Winch, 1400lbs / 636kg
	Specification • Ratchet : 2-Way, ratchet pawl with free spool • Gear Ratio : 4:1 • Drum Capacity : Cable : Ø 5mm x 8m , Strap : 50mm x 8m • Material : Steel with Black E.D Coating	

	1) 12-9715398 Trailer Manual Winch , 2000lbs / 900kg
	Specification • Ratchet : 2-Way • Gear Ratio : 4:1 / 10:1 • Convertible dual speed design • Drum Capacity : Cable : Ø 6mm x 8m , Strap : 63mm x 8m • Material : Steel with Black E.D Coating

Trailer Winches

 SOLD OUT!	1) 12-W654W Trailer Winch 4:1 Gear Speed, Capacity 650kg /1433lbs c/w UV coated polyester webbing 50mm x 6m with forged steel snap on hook steel springs & bushes - Solid plate gears - Multi fit base - Rust resistant NO STOCK
 SOLD OUT!	1) 12-W905W Trailer Winch 5:1/1:1 Gear Speed, Capacity 900kg /1984lbs c/w UV coated polyester webbing 50mm x 7.5m with forged steel snap on hook Launching control brake system - Soft grip handle - Stainless steel springs & bushes - Solid plate gears - Multi fit base - Rust resistant NO STOCK
	1) 12-W115125W Trailer Winch 12:1/5:1/1:1 Gear Speed, Capacity 1150kg /2535lbs c/w UV coated polyester webbing/ strap 65mm x 7.5m with forged steel snap on hook - Launching control brake system - Soft grip handle - Stainless steel springs & bushes - Solid plate gears
	1) 12-SA7000 Electric Winch 12V, 2200LBS Easy to install and operate . Switch & clutch controls conveniently located on one side. Manual handle included in case of emergency Load Capacity : 2,200lbs / 999kg Cable Size & Length : 3/16" x 50' (4.7mm x 15m) Pulley Block & Hook : YES Brand : Strong Arm
	1) 12-55562 Winch Strap Cut Hook Unit 6M (21-22FTS) - extra 2) 12-5562A Winch Strap Cut Hook Unit 5M (17-18FTS) - extra Manual Winch Polyester Strap c/w Forged Medium Carbon Steel Hook 3) 12-8409042 - 50mm (2") x 4.5m (15ft) - SWL : 2000kg 4) 12-8409043 - 50mm (2") x 6.0m (20ft) - SWL : 2000kg NO STOCK 5) 12-8409044 - 50mm (2") x 7.6m (25ft) - SWL : 2000kg

Trailer Winches Parts

	1) 12-8635204 Trailer Winch Steel Cable c/w Medium Carbon Steel Hook Size: 5mm x 10 m , Breaking Load ; 2106kg 2) 12-8635205 Trailer Winch Galvanised Steel Cable c/w Haru Eye Hook Size: 6mm x 10m												
	1) 12-TFDR0108 HMPE (Dyneema) Single Braided Rope Size: Ø 8mm , Colour : Blue , Breaking Load: 5000KG 2) 12-TFDR0110 HMPE (Dyneema) Single Braided Rope Size: Ø 10mm , Colour : Blue , Breaking Load: 8000KG												
	1) 12-54515 Trailer Manual Winch Repair Kit suits for “SHELBY “ Winches												
	1) 12-WH210B Trailer Winch Handle , Brand : ARK • Snap- on handle • Ideal when changing gears • Rust resistance • Soft handle grip • Suitable for ARK winches W905W & W11512W												
	Eye Slip Hook - SST Stainless Steel with spring-loaded closures. <table><thead><tr><th>Description</th><th>Length</th><th>Diameter</th><th>Maximum Safe load</th></tr></thead><tbody><tr><td>1) 12-TFTR-1126-0006</td><td>91mm</td><td>¼"</td><td>1500kgs</td></tr><tr><td>2) 12-TFTR-1126-0008</td><td>108 mm</td><td>5/16"</td><td>2900kg</td></tr></tbody></table>	Description	Length	Diameter	Maximum Safe load	1) 12-TFTR-1126-0006	91mm	¼"	1500kgs	2) 12-TFTR-1126-0008	108 mm	5/16"	2900kg
Description	Length	Diameter	Maximum Safe load										
1) 12-TFTR-1126-0006	91mm	¼"	1500kgs										
2) 12-TFTR-1126-0008	108 mm	5/16"	2900kg										

Trailer Plastic Pad

(1)  (2) 	1) 12-12333 Winch Post Cap 3"X 3" Square Colour: Black Material: Rubber 2) 12-50084 Winch Post Cap 2"X 3" Square Colour: Black Material: Plastic
	1) 12-D3453 Winch Post Cap, Plastic Suits 64mm Square, Slant Top Colour : Black Material : Plastic Brand : Dunbier
	1) 12-D3137 Super Roller Arm Keel Guard Keel Guard will adapt to suit all Boat Trailer. Includes galvanized bracket with Teflon top. Use existing components to u-bolt the bracket onto the trailer. Picture inset shows bracket mounted. Sold separately Teflon Size : Length : 11-3/4" x Width : 2" x Thick : 1/2" (12mm) Bracket : Length : 7-7/8" x Width : 25/32" (20mm)
	1) 12-D3346 Trailer Pad, Solid Plastic Dimension: L 300mm (12") x W 41mm x H 69mm Colour : Blue 2) 12-D3350 Trailer Pad, Solid Plastic Dimension: L 500mm (20") x W 41mm x H 69mm Colour : Blue
	1) 12-50080 Keel Pad 12" Size : Length : 12 " x Width : 3-1/2" x Height : 1" Colour: Black Material : PVC

Trailer Plastic Pad

	1) 12-91702 Trailer Strips Length : 3mtr , Colour : Blue Material : Polypropylene
	1) 12-D3290 Roller Arm Bubble Plate Assembly Suits : All steel roller arms Includes galvanised plate, u-bolts and rubber Material : Steel Galvanised
	1) 12-BABT PVF M Bundy Tube 3/16" PVF 500M Roll (picture need to check physical stock but packing is sealed)

Trailer Springs (Slipper & Shackle)

 SOLD OUT!	12-SS413 Slipper Leaf Spring 4 Leaf, 300kg Rating Capacity 12-SS513 Slipper Leaf Spring 5 Leaf, 500kg Rating Capacity 12-SS613 Slipper Leaf Spring 6 Leaf, 600kg Rating Capacity Dimension : 45mm x 6mm with ½" Nylon Bush Overall Length : 770mm / 30"ins Finish : Painted
	12-SS313G Slipper Leaf Spring 3 Leaf , 300kg Rating Capacity 12-SS413G Slipper Leaf Spring 4 Leaf , 450kg Rating Capacity SOLD Dimension : 45mm x 6mm with ½" Nylon Bush Overall Length : 770mm / 30"ins Finish : Galvanised
 SOLD OUT!	12-SS513G Slipper Leaf Spring 5 Leaf, 500kg Rating Capacity SOLD 12-SS613G Slipper Leaf Spring 6 Leaf, 600kg Rating Capacity 12-SS713G Slipper Leaf Spring 7 Leaf, 675kg Rating Capacity 12-SS913G Slipper Leaf Spring 9 Leaf, 800kg Rating Capacity Dimension : 45mm x 6mm with ½" Nylon Bush Overall Length : 711mm / 28"ins Finish : Galvanised
	12-SEE516 Slipper Leaf Spring 5 Leaf, 650kg Rating Capacity SOLD 12-SEE616 Slipper Leaf Spring 6 Leaf, 750kg Rating Capacity Dimension : 45mm x 8mm with 9/16" Nylon Bush Overall Length : 711mm / 28"ins Finish : Painted
	12-SEE516G Slipper Leaf Spring 5 Leaf, 650kg Rating Capacity 12-SEE616G Slipper Leaf Spring 6 Leaf, 750kg Rating Capacity Dimension : 45mm x 8mm with 9/16" Nylon Bush Overall Length : 711mm / 28"ins Finish : Galvanised


Trailer Spring (Roller Roller)

	1) 12-MS7RRA607ZT-B2F Leaf Spring 7 Ply 3 Tons /pair (Rocker Roller Version) Front for 2 axle 2) 12-MS7RRA607ZT-B2R Leaf Spring 7 Ply 3 Tons /pair (Rocker Roller Version) Rear for 2 axle
	1) 12-DS9RRA607ZT-B2F Leaf Spring 9 Ply 4 Tons /pair (Rocker Roller Version) Front for 2 axle 2) 12-DS9RRA607ZT-B2R Leaf Spring 9 Ply 4 Tons /pair (Rocker Roller Version) Rear for 2 axle
	1) 12-DS9RRA607ZT-B2C Leaf Spring 9 Ply 4 Tons (Rocker Roller Version) Centre for 2 axle

12-D2012-S - Leaf Spring set 7 Ply 3 tons (rocker roller version) front/rear for 2 Axle

Obsolete part no. 12-D2012-S and Superceeded to 12-MS7RRA607ZT-B2

Consist of: 4 pcs 7 Ply leaf spring 3 tons, 4 pcs main rocker arm, 4 pcs main rocker arm trailer hanger 4 pcs rocker spring hanger, 6 pcs rocker bush 60mm nylon, 4 pcs rocker roller center pin 18mm, 12 pcs rocker shackle center pin 16mm



BOOM PARTS 7 Ply As below

For 13" - 14" RIM

Item	Desc	Std Qty	MEHER PN	Stock 1 Feb 2023			Remark
				QTY	ARK PN	QTY	
1	Leaf Spring 7 Ply 3 Tons (Rocker Roller Version) Front for 2 axle	2	12-MS7RRA607ZT-B2F				
2	Leaf Spring 7 Ply 3 Tons (Rocker Roller Version) Rear for 2 axle	2	12-MS7RRA607ZT-B2R				
3	Main Rocker Arm Galvanised	2	12-MSACRAE60G		12-RR24GM		
4	Main Rocker Arm Trailer Hanger	2	12-MSACHR60N		12-RRAH45M		
5	Rocker Spring Hanger	4	12-MSAFRHR60N		12-RRSH60M		
6	Rocker Nylon Bush 60mm wide	4	12-MSASB163360N		12-RRSB60M (steel)		
7	Rocker Roller Centre Pin 18mm	2	12-MSAGCB1985		12-RRCP18M		
8a	Rocker Shackle Centre Pin With Grease Nipple 16mm OR	4	12-MSAGB1690		12-RRSP16GM		
8b	Rocker Shackle Centre Pin Without Grease Nipple 16mm	4	12-MSASB1690		12-RRSP16M		

IMPORTANT TECHNICAL INFORMATION :

A) 13" & 14" Rim tandem (multi-axle setup) require to use 'offset type leaf spring' (labeled as 'front' & 'rear') . Using wrong type leaf spring will risk dis-alignment of tires or axle setup.

* Edaran Marin Centre reserves the right to change the equipment specification, colour, materials and any other items to apply to our local conditions without prior notice.

No.5, Jalan PTP ½, Taman Perindustrian Tasik Perdana, (Putra Perdana) 47120 Puchong, Selangor Darul Ehsan

Tel: +603- 8052 111 /8066 4187 /4781 Fax : +603- 8066 7486 E-mail : info@edaranmarin.com.my / sales@edaranmarin.com.my Website : www.edaranmarin.com.my

12-D2008-S - Leaf Spring set 9 Ply 4 tons (rocker roller version) front/rear for 2 Axle

Obsolete part no. 12-D2008-S and Superceeded to 12-DS9RRA607ZT-B2

Consist of: 4 pcs 9 Ply leaf spring 4 tons, 2 pcs main rocker arm, 2 pcs main rocker arm trailer hanger 4 pcs rocker spring hanger, 4 pcs rocker bush 60mm nylon, 2 pcs rocker roller center pin 18mm, 8 pcs rocker shackle center pin 16mm



BOOM PARTS 9 Ply As below

For 13"- 14" RIM

Item	Desc	Std Qty	MEHER PN	Stock 1 Feb 2023			Remark
				QTY	ARK PN	T/QTY	
1	Leaf Spring 9 Ply 4 Tons (Rocker Roller Version) front for 2 axle	2	12-DS9RRA607ZT-B2F				
2	Leaf Spring 9 Ply 4 Tons (Rocker Roller Version) rear for 2 axle	2	12-DS9RRA607ZT-B2R				
3	Main Rocker Arm Galvanised	2	12-MSACRAE60G		12-RRA24GM		
4	Main Rocker Arm Trailer Hanger	2	12-MSACHR60N		12-RRAH45M		
5	Rocker Spring Hanger	4	12-MSAFRHR60N		12-RRSH60M		
6	Rocker Nylon Bush 60mm wide	4	12-MSASB163360N		12-RRSB60M (steel)		
7	Rocker Roller Centre Pin 18mm	2	12-MSAGCB1985		12-RRCP18M		
8a	Rocker Shackle Centre Pin With Grease Nipple 16mm OR	8	12-MSAGB1690		12-RRSP16GM		
8b	Rocker Shackle Centre Pin Without Grease Nipple 16mm	8	12-MSASB1690		12-RRSP16M		

IMPORTANT TECHNICAL INFORMATION :

A) 13" & 14" Rim tandem (multi-axle setup) require to use 'offset type leaf spring' (labeled as 'front' & 'rear'). Using wrong type leaf spring will risk dis-alignment of tires or axle setup.

* Edaran Marin Centre reserves the right to change the equipment specification, colour, materials and any other items to apply to our local conditions without prior notice.


No.5, Jalan PTP ½, Taman Perindustrian Tasik Perdana, (Putra Perdana) 47120 Puchong, Selangor Darul Ehsan

Tel: +603- 8052 111 /8066 4187 /4781 Fax : +603- 8066 7486 E-mail : info@edaranmarin.com.my / sales@edaranmarin.com.my Website : www.edaranmarin.com.my

12-D2008-S - Leaf Spring set 9 Ply 4 tons (rocker roller version) for 2 Axle 15" Rim

Obsolete part no. 12-D2008-S and Superceeded to 12-DS9RRA607ZT-B2

Consist of: 4 pcs 9 Ply leaf spring 4 tons, 2 pcs main rocker arm, 2 pcs main rocker arm trailer hanger 4 pcs rocker spring hanger, 4 pcs rocker bush 60mm nylon, 2 pcs rocker roller center pin 18mm, 8 pcs rocker shackle center pin 16mm



BOOM PARTS 9 Ply As below



For 15" RIM

Item	Desc	Std Qty	MEHER PN	Stock 1 Feb 2023			Remark
				QTY	ARK PN	QTY	
1	Leaf Spring 9 Ply 4 Tons (Rocker Roller Version) centre for 2 axle	4	12-MS9RRA607ZT-B2C				
3	Main Rocker Arm Galvanised	2	12-MSACRAE60G		12-RR24GM		
4	Main Rocker Arm Trailer Hanger	2	12-MSACHR60N		12-RR445M		
5	Rocker Spring Hanger	4	12-MSAFRHR60N		12-RRSH60M		
6	Rocker Nylon Bush 60mm wide	4	12-MSASB163360N		12-RRSB60M (steel)		
7	Rocker Roller Centre Pin 18mm	2	12-MSAGCB1985		12-RRCP18M		
8a	Rocker Shackle Centre Pin With Grease Nipple 16mm OR	8	12-MSAGB1690		12-RRSP16GM		
8b	Rocker Shackle Centre Pin Without Grease Nipple 16mm	8	12-MSASB1690		12-RRSP16M		






IMPORTANT TECHNICAL INFORMATION :

A) 15" Rim tandem (multi-axle setup) require to use 'center type leaf spring'. Using 'offset type leaf spring will risk tire rubbing each other' while in operation.

Trailer Springs Hangers Parts

 	12-FSH45 Front Spring Hanger - Suits 45mm slipper spring and suit 1/2" bolt. - Material : Steel - Recommended for slipper leaf spring - Dimension : Overall Width : 47mm x Overall Height : 55mm - Hole Diameter : 13mm Ø
 	12-RSH45 Rear Spring Hanger - Suits 45mm slipper spring - Material : Steel - Recommended for slipper leaf spring - Dimension Overall Width : 47mm x Overall Height : 50mm
	12-SB916 Spring Rocker Bush - Size: 9/16" X 7/8" X 45mm - Colour : Black - Material : Plastic
	12-FP3950G Fish Plate , Galvanised - Suits U-bolts from 39mm to 50mm with 45mm wide leaf spring - Material : Steel Galvanised - Dimension : L 90mm x W 95mm x Thickness : 7mm 12-FP4550G Fish Plate , Galvanised - Suits U-bolts from 45 mm to 50mm with 60mm wide leaf spring - Material : Steel Galvanised - Dimension : L 110mm x W 100mm x Thickness : 10mm
	12-SP916 Shackle Pin 9/16" x 3-1/2" c/w Nyloc Nut , Non-Grease - Dimension : Diameter : 9/16" Ø x Length : 3-1/2" - Material : Steel

Trailer Spring Hangers Parts

 	1) 12-SHF45 Front Shackle Hanger - Suits 45mm shackle spring 9/16" Bolt Holes - Material : Steel - Recommended for shackle leaf spring (eye to eye) - Dimension : Overall Width : 47mm x Overall Height : 55mm - Hole Diameter : Ø 15mm
 	1) 12-SHR45 Rear Shackle Hanger - Deadeye to suit 45mm shackle spring - Material : Steel - Recommended for shackle leaf spring (eye to eye) - Dimension : Overall Width : 29mm x Overall Height : 37mm - Hole Diameter : Ø 22mm
 	1) 12-RA45 Tandem Rocket Arm - Type "A" suits 45mm shackle spring - Material : Steel , Finish : Galvanized - Recommended for shackle leaf spring (eye to eye) - Dimension : Overall Length : 120mm - Eye to Eye : 75mm
 	1) 12-TRH45 Tandem Rocker Hanger - Suits 45mm Rocker Arms - Material : Steel , Finish : NA - Recommended for shackle leaf spring (eye to eye) - Dimension: Overall Length : 232mm x Hole to Hole : 71mm
(1)  (2) 	1) 12-SP64 Shackle Plate 9/16" Bolt Holes with 64mm Centers Dimension: Length : 103mm x Width : 40mm x Thick : 8mm Hole to Hole : 64mm , Material : Steel , Finish: NA 2) 12-SP75 Shackle Plate 9/16" Bolt Holes with 75mm Centers Dimension: Length : 120mm x Width : 40mm x Thick : 8mm Hole to Hole : 75mm , Material : Steel , Finish: NA

Trailer Springs Hangers Parts

	1) 12-RR A24G Main Rocker Arm Suits 2,3& 4 Tonne Rocker Kit Finish : Galvanised , Brand : ARK 2) 12-RR A24GM Main Rocker Arm Suits 2,3& 4 Tonne Rocker Kit Finish : Galvanised , Brand : MEHER
(1)  (2) 	1) 12-RR AH45 Main Rocker Arm Trailer Hanger suits 2, 3, & 4 Tonne Rocker Kits. Size : L :178mm (7") x W ID: 50mm x Hole ID : 19mm Material : Steel , Finish : NA , Brand : ARK 2) 12-RR AH45M Main Rocker Arm Trailer Hanger suits 2, 3, & 4 Tonne Rocker Kits. Size : L :1165mm (6-1/2") x W ID: 45mm x Hole ID : 19mm Material : Steel , Finish : NA , Brand : MEHER
(1)  (2) 	1) 12-RR SH60 Rocker Spring Hanger Suits 2, 3, & 4 Tonne Rocker Kits Size : L: 4-1/2(114mm) x W ID : 65mm x Hole ID : 16mm Material : Steel , Finish : NA , Brand : ARK 2) 12-RR SH60M Rocker Spring Hanger Suits 2, 3, & 4 Tonne Rocker Kits Size: L 4" (102mm) x W ID: 62mm x Hole ID : 16mm Material : Steel , Finish : NA , Brand : MEHER
	1) 12-RR SB60 Rocker Steel Bush 60mm Wide Suits 2, 3, & 4 Tonne Rocker Kits , Size : W : 35mm x H : 60mm x Hole ID : 16mm Material : Steel , Brand : ARK 2) 12-RR SB60M Rocker Steel Bush 60mm Wide Suits 2, 3, & 4 Tonne Rocker Kits Size : W : 36mm x H : 60mm x Hole ID : 16mm Material : Steel , Brand : MEHER
	1) 12-RR NB60 Rocker Spring Eye Nylon Bush 60mm Wide Suits 2, 3, & 4 Tonne Rocker Kits Size : W : 22mm x H : 59mm x Hole ID : 16mm Colour : White , Material : Plastic

Trailer Spring Hangers Parts

	1) 12-RRCP18 Rocker Rocker Centre Pin 18mm , Greaseable Suits 2, 3, & Tonne Rocker Kits Material : Steel-Zinc Plated Brand : ARK
	1) 12-RRCP18M Rocker Rocker Centre Pin 18mm, Greaseable Suits 2, 3, & Tonne Rocker Kits Material : Steel-Zinc Plated Brand : MEHER
	1) 12-RRSP16 Rocker Shackle Centre Pin Size : 16mm, Greaseable Suits 2 , 3 , & 4 Tonne Rocker Kits Material : Steel-Zinc Plated Brand : ARK
	1) 12-RRSP16GM Rocker Shackle Centre Pin Size : 16mm, Greaseable Suits 2 , 3 , & 4 Tonne Rocker Kits, Material : Steel-Zinc Plated Brand : MEHER
	1) 12-RRSP16M Rocker Shackle Centre Pin Size : 16mm, Non-Greaseable Suits 2 , 3 , & 4 Tonne Rocker Kits Material : Steel-Zinc Plated Brand : MEHER

Tie Down Straps

	1) 12-8409023 Spanngurt Luggage Holder (pair) Size : Diameter : 25mm (1') x Length : 2.3m (7.5ft) Colour : Black with ref strip
	1) 12-8409025 Ratchet Tie Down Strap with plastic hook Size : Diameter : 25mm (1") x Length : 4.5m (15ft) SWL : 600kg Colour : Orange
	1) 12-8409027 Ratchet Tie Down Strap c/w plastic hook Size : Diameter : 50mm (2") x Length : 6m (20ft) SWL : 900KG Colour : Orange
	1) 12-2"x 9M Tie Down Strap c/w metal hook Size : Diameter : 50mm (2") x Length : 9m (30ft) Colour : Yellow
	

Outboard Motor Carriers

	1) 12-31600 Outboard / Trolling Motor Carrier , Brand : Garelick Up to 30HP , Max Load : 130lbs / 59kg For ease when storing or moving motors Strong aluminium tube frame , ½" steel plated axle Wheel 2 x 8" x 1.5" (20 x 4cm) Black recycled plastic mounting board Includes 6 gallon gas tank holder Size: Height 36.75" (83cm)
	1) 12-31800 Outboard/Trolling Motor Carrier , Brand: Garelick Up to 30-80HP . Max Load : 265lbs / 120kg Utilizes tough alloy 1" reinforced aluminium tubing Semi-pneumatic 4x10"x1-3/4" rubber tired wheels mounted on sturdy ½" steel axle. Folds to 36-3/4" Black recycled plastic mounting board Includes 6 gallon gas tank holder Size : Height 37" (93cm)
	1) 12-SF-TR003 Seafo Kayak Cart/Trailer Size : 72cm x 39cm x 16cm Weight : 6.6lbs / 3.0kg Capacity: 176lbs / 80kg Material : Aluminium Anodized

Thule Car Carrier

	1) 12-950 Thule Rapid System Foot Pack 950 (consist 4 pcs) For car without rain gutters , Fits Thule Square Bars Load Capacity : 75kg , Foot Height : 14cm Material : Feet in galvanised, black powder coated steel plate
	1) 12-757 Thule Rapid System Foot Pack 757 (consist 4 pcs) Suitable for cars with normal sizes rood railings , Fits railing size between 22-55cm, Load Capacity : 100kg , Roof Height 7.5cm :
	1) 12-863 Thule Rapid System Aero Bar 863 (consist 2 load bar) Size: Length : 150cm Material: Aluminium Extrusion with Graduated Scale
	1) 12-1350 Thule Kit Rapid System 1350 for (12-121350) Toyota Vigo 4-dr Double Cab with Normal Roof 2004-2015 Toyota Hilux 4-dr Double Cab with Normal Roof 2005-2015 2) 12-1259 Thule Kit Rapid System 1259 for Mitsubishi Airtrek 5-dr SUV 01-05 Mitsubishi Outlander 5-dr SUV 01-05 Thule Kit - consist of (4 pcs) Rubber , (4 pcs) Bracket
	1) 12-544 Thule One Lock Key System 544 Colour : Black Material : Aluminium